



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report


Date and time of reporting	13.04.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	12.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	13.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/320042	2137301504914	Sudarsan Sahoo	70	M	Nasal Swab	13.04.2023	Negative	9437942131	Sector 16 Rourkela
2	Cov/320043	2137301504916	Bandana Lakra	39	F	Nasal Swab	13.04.2023	Negative	7008269180	Rgh, Rourkela Staff (Nursing Officer)
3	Cov/320044	2137301504917	Fulmani Murmu	45	F	Nasal Swab	13.04.2023	Negative	7667126968	Mani Colony RKL
4	Cov/320045	2137301504920	Alphonc Xaxa	57	M	Nasal Swab	13.04.2023	Negative	7735313759	Jhariabahal Rourkela
5	Cov/320046	2137301504922	Sunita Sahu	36	F	Nasal Swab	13.04.2023	Negative	7546049533	Kareikela Jharkhand
6	Cov/320047	2137301504923	Jhasketan Pradhan	68	M	Nasal Swab	13.04.2023	Negative	7978197896	Civiltownship RKL
7	Cov/320048	2137301504925	Tapaswini Sahoo	32	F	Nasal Swab	13.04.2023	Negative	9861562454	Panposh Rourkela
8	Cov/320049	2137301504928	Saraswati Sahoo	59	F	Nasal Swab	13.04.2023	Negative	9861562454	Panposh Rourkela
9	Cov/320050	2137301504931	Nirupama Nayak	38	F	Nasal Swab	13.04.2023	Negative	9827362244	Civiltownship RKL
10	Cov/320051	2137301504933	Alpanda Kalandi	60	F	Nasal Swab	13.04.2023	Negative	8917270360	Sector 16 Rourkela
11	Cov/320052	2137301504935	Bajrang Sahoo	37	M	Nasal Swab	13.04.2023	Negative	9348800814	Panposh Rourkela
12	Cov/320053	2137301504937	Santosh Singh	24	M	Nasal Swab	13.04.2023	Negative	9007634007	Vedvyas Rourkela
13	Cov/320054	2137301504939	Taranisen Swain	63	M	Nasal Swab	13.04.2023	Negative	9938121752	Chhend Colony RKL
14	Cov/320055	2137301505054	Kalyani Maiti	35	F	Nasal Swab	13.04.2023	Negative	8144238094	Kuarmunda RKL
15	Cov/320056	2137301505055	Sonali Sarkar	42	F	Nasal Swab	13.04.2023	Negative	9776644296	Sector 4 Rourkela
16	Cov/320057	2137301505056	Sushila Sahoo	25	F	Nasal Swab	13.04.2023	Negative	9584687875	G B Palli RKL
17	Cov/320058	2137301505057	Nuadei Luha	19	F	Nasal Swab	13.04.2023	Negative	6370022423	Panposh Rourkela
18	Cov/320059	2137301505058	Ashok Bag	32	M	Nasal Swab	13.04.2023	Negative	9870269532	Sector 2 Rourkela
19	Cov/320060	2137301505059	Arjun Patel	26	M	Nasal Swab	13.04.2023	Negative	7878195771	Vedvyas Rourkela
20	Cov/320061	2137301505060	Saroj Jaiswal	57	F	Nasal Swab	13.04.2023	Negative	9036634475	Civiltownship RKL
21	Cov/320062	2137301505061	Usharani Mahapatra	77	F	Nasal Swab	13.04.2023	Negative	9178381739	Jagda Rourkela

22	Cov/320063	2137301505107	Jitendra Kumar	30	M	Nasal Swab	13.04.2023	Negative	8368325770	Beldihi Rourkela
23	Cov/320064	2137301505108	Naiman Munda	40	M	Nasal Swab	13.04.2023	Negative	9438590503	Khariyabahal Koira
24	Cov/320065	2137301505138	Dr Anil Kumar Patra	68	M	Nasal Swab	13.04.2023	Negative	9827690412	Nit Campus RKL

Prepared by:

Checked and Approved by:



Hemanti Sabar



Dr. Ashit Bhusan Xess

डा. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*