



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	13.08.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	12.08.2022; 09:00 A.M.
Date & Time of receipt of specimen	13.08.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/294783	2137301379287	Ankusha Das	19	F	Nasal Swab	13.08.2022	Negative	7761000463	Sector C- 465 Bondamunda, Rourkela
02	Cov/294784	2137301379291	Anusaya Swain	56	F	Nasal Swab	13.08.2022	Negative	7846861451	Akhandalamani Basti, Rourkela
03	Cov/294785	2137301379296	Rajib Swain	26	M	Nasal Swab	13.08.2022	Negative	7846861451	Akhandalamani Basti, Rourkela
04	Cov/294786	2137301379336	Banasree Muduli	43	F	Nasal Swab	13.08.2022	Negative	9938411372	C-40,Sector-5, Rourkela
05	Cov/294787	2137301379340	Manoj Kumar Seth	50	M	Nasal Swab	13.08.2022	Negative	9439093123	G-259,Sector-6, Rourkela
06	Cov/294788	2137301379343	Bibek Seth	21	M	Nasal Swab	13.08.2022	Negative	9439093123	G-259,Sector-6, Rourkela
07	Cov/294790	2137301379353	Lipika Ekka	23	F	Nasal Swab	13.08.2022	Negative	6371112678	A-110,Sector-9, Rourkela
08	Cov/294793	2137301379363	Satyajeet Pradhan	87	M	Nasal Swab	13.08.2022	Negative	7539080555	B-70,Sector-13, Rourkela
09	Cov/294795	2137301379376	Tanmaya Lohar	13	M	Nasal Swab	13.08.2022	Negative	9776885091	Kalyani Mandir Labour Tournament, Rourkela

Prepared by:

Krishna

Krishna Ch. Majhi

Checked and Approved by:

Dr. Rajeev Kr. Seth

Dr. RAJEEV KUMAR SETH  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme

*(IDSP)/ any other health care facility affirming requirements of the case definition/s.*

- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*