



**DEPARTMENT OF MICROBIOLOGY**  
**ISPAT GENERAL HOSPITAL**  
**SAIL, RSP, ROURKELA**

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	13.09.2021; 07:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	13.09.2021; 09:00 A.M.
Date & Time of receipt of specimen	13.09.2021; 02:00 P.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/143453	Anita Singh	40	F	Nasal Swab	13.09.2021	Negative	8144649528	RGH IPD, Rourkela
2	Cov/143454	Lukesh Tete	37	M	Nasal Swab	13.09.2021	Negative	8658063118	RGH IPD, Rourkela
3	Cov/143455	Shnidhai Bhoi	46	M	Nasal Swab	13.09.2021	Negative	7064543939	RGH IPD, Rourkela
4	Cov/143456	Faguni Devi	80	F	Nasal Swab	13.09.2021	Negative	8144255951	RGH IPD, Rourkela
5	Cov/143457	Jaba Barik	40	F	Nasal Swab	13.09.2021	Negative	8480286578	RGH IPD, Rourkela
6	Cov/143458	Jitu Kumar	63	M	Nasal Swab	13.09.2021	Negative	7735971964	RGH IPD, Rourkela
7	Cov/143460	Bharat Mahanto	52	M	Nasal Swab	13.09.2021	Negative	9668767770	RGH IPD, Rourkela
8	Cov/143461	Md Ramzam	60	M	Nasal Swab	13.09.2021	Negative	6371329340	RGH IPD, Rourkela
9	Cov/143462	Debraj Patra	60	M	Nasal Swab	13.09.2021	Negative	6370456934	RGH IPD, Rourkela
10	Cov/143463	Ashiram Munda	35	M	Nasal Swab	13.09.2021	Negative	7894641150	RGH IPD, Rourkela
11	Cov/143464	Karm Singh	30	M	Nasal Swab	13.09.2021	Negative	8598021647	RGH IPD, Rourkela
12	Cov/143465	Rajashree Kumbhar	28	F	Nasal Swab	13.09.2021	Negative	9348101050	RGH IPD, Rourkela
13	Cov/143466	Mili Sethi	53	F	Nasal Swab	13.09.2021	Negative	7855943494	RGH IPD, Rourkela
14	Cov/143467	Priya Mahato	17	F	Nasal Swab	13.09.2021	Negative	8252208240	RGH IPD, Rourkela

15	Cov/143468	Punam Kindo	32	F	Nasal Swab	13.09.2021	Negative	8658441654	RGH IPD, Rourkela
16	Cov/143469	Kishori Sahu	67	F	Nasal Swab	13.09.2021	Negative	9439031835	RGH IPD, Rourkela
17	Cov/143470	Manju Sahu	69	F	Nasal Swab	13.09.2021	Negative	9861240178	RGH IPD, Rourkela
18	Cov/143471	Karmera Toppo	55	F	Nasal Swab	13.09.2021	Negative	8280452249	RGH IPD, Rourkela
19	Cov/143472	Rakhi Kumari	18	F	Nasal Swab	13.09.2021	Negative	7077744493	RGH IPD, Rourkela
20	Cov/143473	Kishore Bhengra	60	M	Nasal Swab	13.09.2021	Negative	9861782307	RGH IPD, Rourkela
21	Cov/143474	Chariba Gagarai	50	F	Nasal Swab	13.09.2021	Negative	9470152887	RGH IPD, Rourkela
22	Cov/143475	Raju Ekka	40	M	Nasal Swab	13.09.2021	Negative	7846862946	RGH IPD, Rourkela
23	Cov/143476	Md Samsuddim	78	M	Nasal Swab	13.09.2021	Negative	7205377752	RGH IPD, Rourkela
24	Cov/143477	Somya Pradhan	16	M	Nasal Swab	13.09.2021	Negative	9938918339	RGH IPD, Rourkela
25	Cov/143478	Sulemani Lugun	56	F	Nasal Swab	13.09.2021	Negative	7437806143	RGH IPD, Rourkela
26	Cov/143479	Urmila Bajeni	50	F	Nasal Swab	13.09.2021	Negative	8339044230	RGH IPD, Rourkela
27	Cov/143480	Lahari Gope	42	F	Nasal Swab	13.09.2021	Negative	6370589364	RGH IPD, Rourkela
28	Cov/143481	Santoshi Behera	23	F	Nasal Swab	13.09.2021	Negative	7750016510	RGH IPD, Rourkela
29	Cov/143482	S K Islam	25	M	Nasal Swab	13.09.2021	Negative	7681887091	RGH IPD, Rourkela
30	Cov/143483	Rakesh Nayak	29	M	Nasal Swab	13.09.2021	Negative	8018491903	RGH IPD, Rourkela

Prepared by:

Krishna

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*

- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*