



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	13.09.2021; 07:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	13.09.2021; 09:00 A.M.
Date & Time of receipt of specimen	13.09.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/143373	Sisir Mudali	52	M	Nasal Swab	13.09.2021	Negative	9437964665	H No-59 Sakti Nagar RKL
2	Cov/143449	Biswanath Sahoo	32	M	Nasal Swab	13.09.2021	Negative	9438050977	Kuarmunda
3	Cov/143450	Abhay Ku Nayak	44	M	Nasal Swab	13.09.2021	Negative	7008079184	Sec-16 Q no E/22, RKL
4	Cov/143451	Shashanka Sekhar Dash	43	M	Nasal Swab	13.09.2021	Negative	9861172605	RMC Rourkela
5	Cov/143452	Prabash Ranjan Lenka	36	M	Nasal Swab	13.09.2021	Negative	6370952109	RMC Rourkela
6	Cov/143484	Manko Murmu	40	F	Nasal Swab	13.09.2021	Negative	8280453525	ABC Colony, Baljudi
7	Cov/143485	Lilabati Oram	45	F	Nasal Swab	13.09.2021	Negative	9438130261	Jalda C, Rourkela
8	Cov/143486	Puspa Jhara	70	F	Nasal Swab	13.09.2021	Negative	8984345668	Naditola, Garjan

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*