



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	13.10.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	12.10.2022; 09:00 A.M.
Date & Time of receipt of specimen	13.10.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/308705	2137301437957	Kashinath Padhi	42	M	Nasal Swab	13.10.2022	Negative	9861049492	B-52 Sector-19, RKL
02	Cov/308706	2137301437959	Shrirang Agarwal	26	M	Nasal Swab	13.10.2022	Negative	9090905100	Uditngar, RKL
03	Cov/308707	2137301437960	Rihan Khan	38	M	Nasal Swab	13.10.2022	Negative	8917383240	A/181 Sector 15, RKL
04	Cov/308708	2137301437963	Seemab Khanam	35	F	Nasal Swab	13.10.2022	Negative	8917383240	Sector-15, RKL
05	Cov/308709	2137301438087	Karishma Minz	31	F	Nasal Swab	13.10.2022	Negative	7325888806	B/124,Sector-4, RKL
06	Cov/308710	2137301438089	Sofiya Sarfaraj	21	F	Nasal Swab	13.10.2022	Negative	9348416119	B/124,Sector-4, RKL
07	Cov/308711	2137301438093	Sofaraj Alam	49	M	Nasal Swab	13.10.2022	Negative	8249019918	B/124,Sector-4, RKL
08	Cov/308712	2137301438096	Bawlen Minz	56	F	Nasal Swab	13.10.2022	Negative	9439783546	B/124,Sector-4, RKL

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

डॉ. अशीत भूपन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR