



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	14.02.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	13.02.2022; 09:00 A.M.
Date & Time of receipt of specimen	14.02.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/247928	2137301170795	Rishi Sharma	21	M	Nasal Swab	14.02.2022	Negative	7536936375	Singh Building Nala Road RKL
2	Cov/247929	2137301170812	Shah Jahan Arfin	21	M	Nasal Swab	14.02.2022	Negative	7008459286	Panposh Near Koel Bank RKL
3	Cov/247930	2137301170822	Puni Das	58	M	Nasal Swab	14.02.2022	Negative	9040630015	B Colony Em/120 RKL
4	Cov/247931	2137301170829	Purna Chandra	22	M	Nasal Swab	14.02.2022	Negative	7978745306	Chhend RKL
5	Cov/247932	2137301170848	Bijhvder Ray	50	M	Nasal Swab	14.02.2022	Negative	9776285395	Uditnagar Birsa Dhar Road RKL
6	Cov/247933	2137301170904	Sukra Kujur	52	M	Nasal Swab	14.02.2022	Negative	7681076893	Sagjore Rajgangpur SNG
7	Cov/247934	2137301170907	Sangita Kumari	33	F	Nasal Swab	14.02.2022	Negative	9093003012	G B Palli RKL
8	Cov/247935	2137301170917	Md Shad Tarique	13	M	Nasal Swab	14.02.2022	Negative	9439107861	Panposh RKL
9	Cov/247936	2137301170921	Captain Mahato	25	M	Nasal Swab	14.02.2022	Negative	9040981002	FM/9 Basanti Colony RKL
10	Cov/247937	2137301170925	Kajal Tanti	25	F	Nasal Swab	14.02.2022	Negative	7846993707	Sarsara Chandipur Tikayatpali RKL
11	Cov/247938	2137301170932	Sanjay Biuar	24	M	Nasal Swab	14.02.2022	Negative	9668200258	C-97 Sector-19 RKL
12	Cov/247939	2137301170936	Suraj Bag	22	M	Nasal Swab	14.02.2022	Negative	7978231949	Sector-20 Hilltop RKL
13	Cov/247940	2137301170939	Reena Kindo	27	F	Nasal Swab	14.02.2022	Negative	8018261453	B Tarang Kalokudar RKL
14	Cov/247941	2137301170944	Jyoti Kindo	18	F	Nasal Swab	14.02.2022	Negative	7749896001	Kalokudar B Tarang RKL
15	Cov/247942	2137301170946	Bibhuti Bhusan Pani	29	M	Nasal Swab	14.02.2022	Negative	8249419760	De/102 Basanti Colony RKL
16	Cov/247943	2137301171077	Kedar Nath	46	M	Nasal Swab	14.02.2022	Negative	7008236125	B Colony RKL
17	Cov/247944	2137301171081	Rohit Sahu	23	M	Nasal Swab	14.02.2022	Negative	9090267278	B Colony DI/159 RKL
18	Cov/247945	2137301171085	Meneka Nayak	21	F	Nasal Swab	14.02.2022	Negative	7751093624	Sector 16 D/12 RKL
19	Cov/247946	2137301170985	Laxmi Badaik	22	F	Nasal Swab	14.02.2022	Negative	8917256619	Balughat Kumar Basti RKL
20	Cov/247947	2137301170988	Kabita Devi	19	F	Nasal Swab	14.02.2022	Negative	9348169081	Gandhi Road Plant Site RKL
21	Cov/247948	2137301170991	Tukli Ekka	25	F	Nasal Swab	14.02.2022	Negative	9078940788	Patua Ganjhu Tola RKL
22	Cov/247949	2137301170996	Rima Kumari	22	F	Nasal Swab	14.02.2022	Negative	8270964881	Fertilizer Tangarpalli RKL

23	Cov/247950	2137301171000	Ambari Lohar	28	F	Nasal Swab	14.02.2022	Negative	8456878966	Jalda C Block RKL
24	Cov/247951	2137301171004	Puja Behera	22	F	Nasal Swab	14.02.2022	Negative	6371447274	Malgodam RKL
25	Cov/247952	2137301171087	Sunakara Sahoo	57	M	Nasal Swab	14.02.2022	Negative	9668848905	Sector 1 G- 294 RKL
26	Cov/247953	2137301171091	Mahendra Kalo	63	M	Nasal Swab	14.02.2022	Negative	6370329346	Hemgir Kiripsira
27	Cov/247954	2137301171097	Subrat Bal	36	M	Nasal Swab	14.02.2022	Negative	7008329319	B Colony RKL
28	Cov/247955	2137301171103	Glory Peter	18	F	Nasal Swab	14.02.2022	Negative	7328893575	Chhend S3L2/43 RKL
29	Cov/247956	2137301171107	Gayatri Panda	31	F	Nasal Swab	14.02.2022	Negative	9437214225	B Colony Bm/75 RKL

Prepared by:

Checked and Approved by:




Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

डॉ. अशीत भूपन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkee

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*