



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	14.03.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	13.03.2022; 09:00 A.M.
Date & Time of receipt of specimen	14.03.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/243604	2137301148305	Bijla Toppo	53	M	Sample Not Received			9938454826	Kuarmunda SNG
2	Cov/243692	2137301149312	Ruksar Khatun	60	F	Nasal Swab	14.03.2022	Negative	8093202319	Nayabasti Bisra
3	Cov/261846	2137301229828	Ananta Mahato	54	M	Nasal Swab	14.03.2022	Negative	6370822258	Jharbeda Bisra
4	Cov/261847	2137301229834	Birsa Lohar	26	M	Nasal Swab	14.03.2022	Negative	6371786126	Jharbeda Bisra
5	Cov/261848	2137301229836	Arati Mundari	15	F	Nasal Swab	14.03.2022	Negative	9861176628	Jharbeda Bisra
6	Cov/262124	2137301228356	Ajit Nayak	28	M	Nasal Swab	14.03.2022	Negative	9378710095	Indarpur SNG
7	Cov/262125	2137301228360	Banita Pradhan	20	F	Nasal Swab	14.03.2022	Negative	9348710095	Indarpur SNG
8	Cov/262126	2137301228366	Janaki Nayak	62	F	Nasal Swab	14.03.2022	Negative	9438710095	Indarpur SNG
9	Cov/262127	2137301228373	Rashmita Nayak	33	F	Nasal Swab	14.03.2022	Negative	7894317870	Indarpur SNG
10	Cov/262128	2137301228377	Jhumubala Nayak	30	F	Nasal Swab	14.03.2022	Negative	7894317870	Indarpur SNG
11	Cov/262129	2137301228379	Jayanti Biswal	34	F	Nasal Swab	14.03.2022	Negative	7894317870	Indarpur SNG
12	Cov/262130	2137301228400	Jaga Sahu	12	M	Nasal Swab	14.03.2022	Negative	9438540071	Indarpur SNG
13	Cov/262131	2137301228403	Balia Sahu	12	M	Nasal Swab	14.03.2022	Negative	9438540071	Indarpur SNG
14	Cov/262132	2137301228384	Bhupati Nayak	31	M	Nasal Swab	14.03.2022	Negative	7894317870	Indarpur SNG
15	Cov/262133	2137301228388	Kanchana Nayak	42	F	Nasal Swab	14.03.2022	Negative	9348710095	Indarpur SNG
16	Cov/262134	2137301228390	Dasrath Nayak	65	M	Nasal Swab	14.03.2022	Negative	9348710095	Indarpur SNG
17	Cov/262135	2137301228392	Gangadhar Sahu	50	M	Nasal Swab	14.03.2022	Negative	9438540071	Indarpur SNG
18	Cov/262136	2137301228393	Uma Sahu	45	F	Nasal Swab	14.03.2022	Negative	9438540071	Indarpur SNG
19	Cov/262137	2137301228397	Puja Sahu	18	F	Nasal Swab	14.03.2022	Negative	9438540071	Indarpur SNG
20	Cov/262138	2137301230083	Rajani Kishan	31	F	Nasal Swab	14.03.2022	Negative	8895136418	Niktimal Bonai SNG
21	Cov/262139	2137301230085	Mamata Kisan	22	F	Nasal Swab	14.03.2022	Negative	7077393982	Bijadihi Bonai SNG
22	Cov/262140	2137301230086	Bharati Pahule	22	F	Nasal Swab	14.03.2022	Negative	7735325619	Bolang Bonai SNG

23	Cov/262141	2137301230088	Debandra Pradhan	23	M	Nasal Swab	14.03.2022	Negative	8280452809	Bolang Bonai SNG
24	Cov/262142	2137301230090	Dharani Kumura	55	M	Nasal Swab	14.03.2022	Negative	8280452833	Kurumdihi Bonai SNG
25	Cov/262143	2137301228560	Mamali Kisan	13	F	Nasal Swab	14.03.2022	Negative	7656035293	Thakurmaa Bonei SNG
26	Cov/262144	2137301228565	Ankita Patkar	13	F	Sample Not Received			9178087578	Thakurmaa Bonei SNG
27	Cov/262145	2137301228571	Srutika Tirkey	13	F	Nasal Swab	14.03.2022	Negative	8260726508	Thakurmaa Bonei SNG
28	Cov/262146	2137301228572	Namita Oram	13	F	Nasal Swab	14.03.2022	Negative	8457860971	Thakurmaa Bonei SNG

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR