



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP,, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	14.05.2022; 02:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	13.05.2022; 09:00 A.M.
Date & Time of receipt of specimen	14.05.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/273438	2137301278474	Sabitri Sabar	65	F	Nasal Swab	14.05.2022	Negative	8455810702	Kuarmunda, Sundragrah
2	Cov/273439	2137301278475	Amsika	45	F	Nasal Swab	14.05.2022	Negative	6371492525	Birjapali, Rourkela
3	Cov/273440	2137301278476	Rukshana Khatun	37	F	Nasal Swab	14.05.2022	Negative	9776163888	Kalunga Tarang, Sundragrah
4	Cov/273441	2137301278477	Chamra Dhanuar	72	M	Nasal Swab	14.05.2022	Negative	6371087638	Kukuda Rajgangpur, Sundragrah
5	Cov/273442	2137301278480	Sugi Turi	57	F	Nasal Swab	14.05.2022	Negative	7091702532	Jaldega, Sundragrah
6	Cov/273443	2137301278481	Jogeshwar Patra	41	F	Nasal Swab	14.05.2022	Negative	8984345814	Lal Tanki Fertilizer, Sundragrah
7	Cov/273444	2137301278482	Albinus Kullu	55	M	Nasal Swab	14.05.2022	Negative	7847013293	Raiboga, Sundragrah
8	Cov/273445	2137301278483	Soma Mahali	60	M	Nasal Swab	14.05.2022	Negative	7608064700	Bagdega, Sundragrah
9	Cov/273446	2137301278485	Sujata Dhanuar	25	F	Nasal Swab	14.05.2022	Negative	9937207323	Lamloi Rajgangpur, Sundragrah
10	Cov/273447	2137301278486	Anima Lugun	54	F	Nasal Swab	14.05.2022	Negative	8455807240	Jaketa Nuagaon, Sundragrah
11	Cov/273448	2137301278488	Deepak Khilari	37	M	Nasal Swab	14.05.2022	Negative	8249435704	Jhirpani, Rourkela
12	Cov/273449	2137301278491	Gitanjali Nayak	22	F	Nasal Swab	14.05.2022	Negative	8018791729	Near Postal Bonai, Sundragrah
13	Cov/273450	2137301278494	Sk Md Juber Ekbar	38	M	Nasal Swab	14.05.2022	Negative	8249418524	Jamyia Colony Panposh, Rourkela
14	Cov/273451	2137301278495	Sanjana Das	15	M	Nasal Swab	14.05.2022	Negative	8093380587	Tangarpali, Rourkela
15	Cov/273452	2137301278498	Birendra Sahoo	21	M	Nasal Swab	14.05.2022	Negative	7008209418	D/30,Sector-7, Rourkela
16	Cov/273453	2137301278520	Joseph Ekka	69	M	Nasal Swab	14.05.2022	Negative	8757714604	LCR-521, Chhend, Rourkela
17	Cov/273454	2137301278500	Ananya Kar	18	F	Nasal Swab	14.05.2022	Negative	9937911327	C/388,Koelnagar, Rourkela
18	Cov/273455	2137301278502	Asit Kumar Kullu	41	M	Nasal Swab	14.05.2022	Negative	9668983041	Jhirpani, Rourkela
19	Cov/273456	2137301278503	Pritam Routra	24	M	Nasal Swab	14.05.2022	Negative	9337280214	H 59 Kesari Nagar Chhend, Rourkela
20	Cov/273457	2137301278505	Mohammad Asadul	31	M	Nasal Swab	14.05.2022	Negative	9437690005	A/141,Sector-15, Rourkela
21	Cov/273458	2137301278506	Shaheen Naaz	29	F	Nasal Swab	14.05.2022	Negative	9437690005	A/141,Sector-15, Rourkela

22	Cov/273459	2137301278515	Bibekananda Satapathy	29	M	Nasal Swab	14.05.2022	Negative	9853174511	EM-122, Basanti Colony, Rourkela
23	Cov/273460	2137301278519	Naresh Kumar Sahoo	30	M	Nasal Swab	14.05.2022	Negative	9853174511	DE- 531, Basanti Colony, Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*