



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	14.09.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	14.09.2021; 09:00 A.M.
Date & Time of receipt of specimen	14.09.2021; 02:00 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/144196	Om Prakash Gope	31	M	Nasal Swab	14.09.2021	Negative	9938324546	Jhartarang B.Tarang Sundargarh
2	Cov/144197	Mukesh Badaik	18	M	Nasal Swab	14.09.2021	Negative	7077373949	Sector-1 Rourkela
3	Cov/144198	Surendra Bhoi	36	M	Nasal Swab	14.09.2021	Negative	8249642330	A Basti Sector-6 Rourkela
4	Cov/144199	Mahendra Bhoi	25	M	Nasal Swab	14.09.2021	Negative	9337047314	A Basti Sector-6 Rourkela
5	Cov/144200	Uddipti Bagh	16	F	Nasal Swab	14.09.2021	Negative	9937838686	A/155 Sector-17 Rourkela
6	Cov/144201	Kullu Pradhan	36	M	Nasal Swab	14.09.2021	Negative	9556109106	Azad Basti Sector-20 Rourkela
7	Cov/144202	Rania Oram	52	F	Nasal Swab	14.09.2021	Negative	9437397541	Musabira Chandi Posh Sundargarh
8	Cov/144203	Sonia Oram	30	F	Nasal Swab	14.09.2021	Negative	9556590947	Chang Jharran Bisra Sundargarh
9	Cov/144204	Ajaya Oram	32	M	Nasal Swab	14.09.2021	Negative	9556590947	Chang Jharran Bisra Rourkela
10	Cov/144205	Priti Oram	12	F	Nasal Swab	14.09.2021	Negative	9556590947	Chang Jharran Bisra Sundargarh
11	Cov/144206	Sugi Kachhap	41	F	Nasal Swab	14.09.2021	Negative	7064663660	RGH IPD, Rourkela
12	Cov/144207	Lewis Toppo	81	M	Nasal Swab	14.09.2021	Negative	6371183073	RGH IPD, Rourkela
13	Cov/144208	Sumitar Xalxo	26	F	Nasal Swab	14.09.2021	Negative	7439908803	RGH IPD, Rourkela
14	Cov/144209	Suchita Tirkey	33	F	Nasal Swab	14.09.2021	Negative	8455026771	RGH IPD, Rourkela
15	Cov/144210	Kamla Lugun	23	F	Nasal Swab	14.09.2021	Negative	7327911928	RGH IPD, Rourkela
16	Cov/144211	Sabitri Baghuwar	38	F	Nasal Swab	14.09.2021	Negative	7608935568	RGH IPD, Rourkela
17	Cov/144212	Budhuni Goud	70	F	Nasal Swab	14.09.2021	Negative	8455026771	RGH IPD, Rourkela
18	Cov/144213	Shibu Goud	40	M	Nasal Swab	14.09.2021	Negative	8895308328	RGH IPD, Rourkela
19	Cov/144214	Poulus Mundu	43	M	Nasal Swab	14.09.2021	Negative	8280453522	RGH IPD, Rourkela
20	Cov/144215	Aman Kerketta	20	M	Nasal Swab	14.09.2021	Negative	7684096134	RGH IPD, Rourkela
21	Cov/144216	Girija Sahu	60	F	Nasal Swab	14.09.2021	Negative	7656975748	RGH IPD, Rourkela

22	Cov/144217	Arun Kumar Das	22	M	Nasal Swab	14.09.2021	Negative	8249338215	RGH IPD, Rourkela
23	Cov/144218	Lichu Munda	50	M	Nasal Swab	14.09.2021	Negative	9150997433	RGH IPD, Rourkela
24	Cov/144219	Surendra Minz	34	M	Nasal Swab	14.09.2021	Negative	9348383292	RGH IPD, Rourkela
25	Cov/144220	Sukhulal Sahu	45	M	Nasal Swab	14.09.2021	Negative	8917593488	RGH IPD, Rourkela
26	Cov/144221	Basant Barik	57	M	Nasal Swab	14.09.2021	Negative	9776883931	RGH IPD, Rourkela
27	Cov/144222	Pradeep Kar	28	M	Nasal Swab	14.09.2021	Negative	8249556692	RGH IPD, Rourkela
28	Cov/144223	Fukar Pandit	40	M	Nasal Swab	14.09.2021	Negative	9861508486	RGH IPD, Rourkela
29	Cov/144224	Rita Dung Dung	55	F	Nasal Swab	14.09.2021	Negative	9439782140	Sector 14 Rourkela
30	Cov/144225	Bhagyashree Lohar	10 Months	F	Nasal Swab	14.09.2021	Negative	9668157827	Purna Jalda Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*