



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	14.09.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	13.09.2022; 09:00 A.M.
Date & Time of receipt of specimen	14.09.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/303222	2137301414561	Durga Charan Panda	43	M	Nasal Swab	14.09.2022	Negative	9082106894	FL-220 Basanti Colony RKL
02	Cov/303223	2137301414562	Sweta Padma Panigrahi	37	M	Nasal Swab	14.09.2022	Negative	9082106894	FL-220 Basanti Colony RKL
03	Cov/303224	2137301414563	Manas Ranjan Biswal	40	M	Nasal Swab	14.09.2022	Negative	9937560628	C-359 Sector -16 RKL
04	Cov/303225	2137301414566	Indumati Biswal	36	F	Nasal Swab	14.09.2022	Negative	9937560628	C-359 Sector -16 RKL
05	Cov/303226	2137301414571	Aman Adarsh Biswal	8	M	Nasal Swab	14.09.2022	Negative	9937560628	C-359 Sector -16 RKL
06	Cov/303227	2137301414576	Gautama Mohanty	60	M	Nasal Swab	14.09.2022	Negative	9650972950	C-19 Koelnagar RKL
07	Cov/303228	2137301414582	Taxhhiro Kureshi	43	M	Nasal Swab	14.09.2022	Negative	9668203045	Central Park Hotel RKL
08	Cov/303229	2137301414587	Jeet Kumar Gupta	34	M	Nasal Swab	14.09.2022	Negative	9090000131	Daily Market RKL
09	Cov/303230	2137301414589	Bijay Kumar Agarwal	52	M	Nasal Swab	14.09.2022	Negative	9437212285	Janta Niwas RKL
10	Cov/303231	2137301414590	Sunil Agarwal	49	M	Nasal Swab	14.09.2022	Negative	8984048746	Deogaon Near IBP Petrol Pump RKL
11	Cov/303232	2137301414591	Vinod Kumar Agarwal	50	M	Nasal Swab	14.09.2022	Negative	7008894931	Deogaon Panposh RKL
12	Cov/303233	2137301414592	Rahul Kumar Gupta	36	M	Nasal Swab	14.09.2022	Negative	9861076216	CC-9 Civil Township RKL
13	Cov/303234	2137301414594	Anup Visswakarma	43	M	Nasal Swab	14.09.2022	Negative	9040282943	Gopabandhupalli RKL
14	Cov/303235	2137301414596	Ashish Mittal	37	M	Nasal Swab	14.09.2022	Negative	8249533575	Flat No-3A Basanti Colony RKL
15	Cov/303236	2137301414597	Ajay Kumar Agarwal	44	M	Nasal Swab	14.09.2022	Negative	7008534064	Bisra RKL SNG
16	Cov/303237	2137301414599	Ashok Kumar Sharma	36	M	Nasal Swab	14.09.2022	Negative	9583782018	BM-49 Basanti Colony RKL

Prepared by:

Krishna Ch. Majhi

Krishna Ch. Majhi

Checked and Approved by

Dr. Ashit Bhusan Xess

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*