



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	15.04.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital,, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	14.04.2022; 09:00 A.M.
Date & Time of receipt of specimen	15.04.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/269861	2137301263554	Gopal Chandra Mohapatra	47	M	Nasal Swab	15.04.2022	Negative	7735381975	Sector-1, Rourkela
02	Cov/269862	2137301263555	Dillip Rout	71	M	Nasal Swab	15.04.2022	Negative	8318237405	Jalda C Block, Rourkela
03	Cov/269863	2137301263556	Chhatulal Kishan	51	M	Nasal Swab	15.04.2022	Negative	7606853665	Banshjore, Rourkela
04	Cov/269864	2137301263560	Srimati Jamuda	42	F	Nasal Swab	15.04.2022	Negative	7656076533	Tensa Koida, Sundargarh
05	Cov/269865	2137301263561	Balbinder Kour	60	F	Nasal Swab	15.04.2022	Negative	8598871696	Kalunga, Sundargarh
06	Cov/269866	2137301263565	Bilkan Surin	27	M	Nasal Swab	15.04.2022	Negative	9337901146	Kardega Nuagaon, Sundargarh
07	Cov/269867	2137301263619	Dipankar Khawas	26	M	Nasal Swab	15.04.2022	Negative	8328915478	WW/10 First Floor Civil Township, Rourkela
08	Cov/269868	2137301263620	Bikram Keshari Barik	31	M	Nasal Swab	15.04.2022	Negative	7205158818	S2M-65 Chhend, Rourkela
09	Cov/269869	2137301263621	Sonamani Nanda	67	F	Nasal Swab	15.04.2022	Negative	8249577129	C2L2-86 Chhend Colony, Rourkela
10	Cov/269870	2137301263622	Bijay Chandra Samasi	37	M	Nasal Swab	15.04.2022	Negative	9937874348	Banglatola Panposh, Rourkela
11	Cov/269871	2137301263623	Mukta Arora	30	F	Nasal Swab	15.04.2022	Negative	7768990107	Bisra Road, Rourkela
12	Cov/269872	2137301263624	Debasis Pani	35	M	Nasal Swab	15.04.2022	Negative	7894978007	L/87 Chhend Colony, Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डा. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*