



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, ROURKELA

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	16.01.2022; 03:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	15.12.2022; 09:00 A.M.
Date & Time of receipt of specimen	15.01.2022; 05:30 P.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/232398	2137301087779	Ditsa Mahanti	20	F	Nasal Swab	16.01.2022	Negative	7205187182	Basanti Colony Rourkela
2	Cov/232399	2137301087787	Motu Lohar	40	M	Nasal Swab	16.01.2022	Negative	8457889580	Jhirpani Sundargarh
3	Cov/232400	2137301087837	Indu Tirkey	35	F	Nasal Swab	16.01.2022	Negative	8962916008	Chhend S2M Rourkela
4	Cov/232401	2137301087848	Sangeeta Sahoo	27	F	Nasal Swab	16.01.2022	Negative	9777500907	RGH Staff Rourkela
5	Cov/232402	2137301087638	Pratap Patra	27	M	Nasal Swab	16.01.2022	Negative	8280273834	RGH IPD Rourkela
6	Cov/232403	2137301087649	Smita Rani Mishra	30	F	Nasal Swab	16.01.2022	Negative	7735838745	RGH IPD Rourkela
7	Cov/232404	2137301087664	Sk Alim	50	M	Nasal Swab	16.01.2022	Negative	7873242031	RGH IPD Rourkela
8	Cov/232405	2137301087674	Suraj Kishan	22	M	Nasal Swab	16.01.2022	Negative	7008280361	RGH IPD Rourkela
9	Cov/232406	2137301087685	Mamuni Das	30	F	Nasal Swab	16.01.2022	Negative	9438845363	RGH IPD Rourkela
10	Cov/232407	2137301087694	Fagni Oram	40	F	Nasal Swab	16.01.2022	Negative	7848850133	RGH IPD Rourkela
11	Cov/232408	2137301087702	Salma Begum	75	F	Nasal Swab	16.01.2022	Negative	9438702583	RGH IPD Rourkela
12	Cov/232409	2137301087713	Mukta Laguri	50	F	Nasal Swab	16.01.2022	Negative	8280132574	RGH IPD Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr Rajeev Seth

डा. राजीव कुमार सेठ  
Dr. RAJEEV KUMAR SETH  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*