



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP,, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	16.05.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	15.05.2022; 09:00 A.M.
Date & Time of receipt of specimen	16.05.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/273740	2137301279123	Asha Raula	53	F	Nasal Swab	16.05.2022	Negative	9777858597	Rgh Campus RKL SNG
2	Cov/273741	2137301279124	Shyamalal Tudu	35	M	Nasal Swab	16.05.2022	Negative	8280006722	Nayadera RKL SNG
3	Cov/273742	2137301279125	Anjali Bera	63	F	Nasal Swab	16.05.2022	Negative	9090900944	Subadhra Market, RKL, SNG
4	Cov/273743	2137301279126	Anchal Kumari	21	F	Nasal Swab	16.05.2022	Negative	9556380092	G.B.Palli, RKL, SNG
5	Cov/273744	2137301279115	Gourav Poddar	39	M	Nasal Swab	16.05.2022	Negative	9437961605	Ff- 20, Civil Township, RKL, SNG
6	Cov/273745	2137301279116	Sohina Poddar	35	F	Nasal Swab	16.05.2022	Negative	9437961605	Ff- 20, Civil Township, RKL, SNG
7	Cov/273746	2137301279117	Advait Poddar	9	M	Nasal Swab	16.05.2022	Negative	9437961605	Ff- 20, Civil Township, RKL, SNG
8	Cov/273747	2137301279118	Anay Poddar	5	M	Nasal Swab	16.05.2022	Negative	9437961605	Ff- 20, Civil Township, RKL, SNG
9	Cov/273748	2137301279119	Satyapada Sharma	50	M	Nasal Swab	16.05.2022	Negative	9437082842	Hig - Db - 05, Chhend, RKL, SNG
10	Cov/273749	2137301279120	Manoj Kumar Sarangi	57	M	Nasal Swab	16.05.2022	Negative	9439014764	L - 172, Phase - 01, Chhend Colony,
11	Cov/273750	2137301279121	Sushanta Kumar Behera	39	M	Nasal Swab	16.05.2022	Negative	9620354650	Al - 7, Basanti Colony, RKL, SNG
12	Cov/273751	2137301279122	Namrata Garg	41	F	Nasal Swab	16.05.2022	Negative	9437009909	Uditnagar, RKL, SNG

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/

any other health care facility affirming requirements of the case definition/s.

- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*