



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	16.07.2021; 08:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	16.07.2021; 09:45 A.M.
Date & Time of receipt of specimen	16.07.2021; 10:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/99820	Pradeep Majhi	25	M	Nasal Swab	16.07.2021	Negative	8658609032	RGH IPD, ROURKELA
02	Cov/99821	Pratap Kullu	30	M	Nasal Swab	16.07.2021	Negative	7749989643	RGH OPD, ROURKELA
03	Cov/99822	Satyajit Nayak	20	M	Nasal Swab	16.07.2021	Negative	6370670735	RGH OPD, ROURKELA
04	Cov/99823	Kashi Kumbhar	45	M	Nasal Swab	16.07.2021	Negative	8455911300	RGH OPD, ROURKELA
05	Cov/99824	Kishor Mundari	23	M	Nasal Swab	16.07.2021	Negative	8144271106	RGH OPD, ROURKELA
06	Cov/99825	Manoj Tirkey	25	M	Nasal Swab	16.07.2021	Negative	6371125901	RGH OPD, ROURKELA
07	Cov/99826	Nirupama Baa	26	M	Nasal Swab	16.07.2021	Negative	9820858384	RGH OPD, ROURKELA
08	Cov/99827	Rajesh Oram	26	M	Nasal Swab	16.07.2021	Negative	6370619995	RGH OPD, ROURKELA
09	Cov/99828	Sudhir Jena	47	M	Nasal Swab	16.07.2021	Negative	9439709649	RGH OPD, ROURKELA
10	Cov/99829	Komal Kamari	18	F	Nasal Swab	16.07.2021	Negative	7751939186	RGH IPD, ROURKELA
11	Cov/99830	Joba Hasda	30	M	Nasal Swab	16.07.2021	Negative	8895260820	RGH IPD, ROURKELA
12	Cov/99831	Krishna Sandil	30	M	Nasal Swab	16.07.2021	Negative	9078934981	RGH IPD, ROURKELA
13	Cov/99832	Kalpati Devi	60	F	Nasal Swab	16.07.2021	Negative	7655956467	RGH IPD, ROURKELA
14	Cov/99834	Manju Behera	20	F	Nasal Swab	16.07.2021	Negative	9861163916	RGH IPD, ROURKELA
15	Cov/99835	Sukanti Kansari	40	F	Nasal Swab	16.07.2021	Negative	7657049061	RGH IPD, ROURKELA
16	Cov/99836	Francis Tirkey	36	M	Nasal Swab	16.07.2021	Negative	7681841776	RGH IPD, ROURKELA
17	Cov/99837	Bholanath Rout	65	M	Nasal Swab	16.07.2021	Negative	9938745809	RGH IPD, ROURKELA
18	Cov/99838	Sagar Lohar	56	M	Nasal Swab	16.07.2021	Negative	9777477678	RGH IPD, ROURKELA


19	Cov/99839	Surami Bud	60	F	Nasal Swab	16.07.2021	Negative	9337749849	RGH IPD, ROURKELA
20	Cov/99840	Krishna Suna	30	M	Nasal Swab	16.07.2021	Negative	8895025597	RGH IPD, ROURKELA
21	Cov/99841	Madhuri Kaur	24	F	Nasal Swab	16.07.2021	Negative	8260403504	RGH IPD, ROURKELA
22	Cov/99842	Ritik Ku Tanty	15	M	Nasal Swab	16.07.2021	Negative	7203733912	RGH IPD, ROURKELA
23	Cov/99843	Radha Prajapati	48	F	Nasal Swab	16.07.2021	Negative	8093969643	RGH IPD, ROURKELA
24	Cov/99844	Saudhamani Suna	39	F	Nasal Swab	16.07.2021	Negative	9114803068	RGH IPD, ROURKELA
25	Cov/99845	Udaya Ku Das	65	M	Nasal Swab	16.07.2021	Negative	6370892691	RGH IPD, ROURKELA
26	Cov/99846	Sangita Rao	36	F	Nasal Swab	16.07.2021	Negative	6372481701	RGH IPD, ROURKELA
27	Cov/99847	Nirmala Pradhan	56	F	Nasal Swab	16.07.2021	Negative	8763906585	RGH IPD, ROURKELA

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Rajeev Kr. Seth

डा. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR