



**DEPARTMENT OF MICROBIOLOGY**  
**ISPAT GENERAL HOSPITAL**  
**SAIL, RSP, ROURKELA**

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	16.08.2021; 08:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	16.08.2021; 09:00 A.M.
Date & Time of receipt of specimen	16.08.2021; 02:30 P.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Desingnation
1	Cov/123416	Rita Sahoo	33	F	Nasal Swab	16.08.2021	Negative	9090308683	SETP Sanitation Rourkela
2	Cov/123417	Soudamini Meher	36	F	Nasal Swab	16.08.2021	Negative	9861935478	SETP Sanitation Rourkela
3	Cov/123418	Jasmoti Badaik	40	F	Nasal Swab	16.08.2021	Negative	7381141139	SETP Sanitation Rourkela
4	Cov/123419	Anami Kirtania	41	F	Nasal Swab	16.08.2021	Negative	8260652699	SETP Sanitation Rourkela
5	Cov/123420	Kunti Sahoo	38	F	Nasal Swab	16.08.2021	Negative	9583035132	MCC Rourkela
6	Cov/123421	Saraswati Lohar	39	F	Nasal Swab	16.08.2021	Negative	7735620870	MCC Rourkela
7	Cov/123422	Susari Munda	48	F	Nasal Swab	16.08.2021	Negative	8895832562	MCC Rourkela
8	Cov/123423	Lilabati Samasi	30	F	Nasal Swab	16.08.2021	Negative	9777357444	MCC Rourkela
9	Cov/123424	Prajnan Kumar Hota	43	M	Nasal Swab	16.08.2021	Negative	8527335033	RSCL (TCE) Rourkela
10	Cov/123425	Gunjan Kumar	41	M	Nasal Swab	16.08.2021	Negative	9953052747	RSCL (TCE) Rourkela
11	Cov/123426	Ramesh Kumar	31	M	Nasal Swab	16.08.2021	Negative	9003612775	RSCL (TCE) Rourkela
12	Cov/123427	Srinibas Rao	45	M	Nasal Swab	16.08.2021	Negative	9949997090	RSCL (EPIL) Rourkela
13	Cov/123428	Amarjeet Singh	24	M	Nasal Swab	16.08.2021	Negative	9955572874	RSCL (SKA) Rourkela
14	Cov/123429	Swaroop Mahapatra	35	M	Nasal Swab	16.08.2021	Negative	9778478888	RMC(SBM) Rourkela

15	Cov/123430	Ram Mohan Mishra	57	M	Nasal Swab	16.08.2021	Negative	9861135504	RDA Rourkela
16	Cov/123431	Chandan Swaraj Mishra	31	M	Nasal Swab	16.08.2021	Negative	8249836520	IE RMC Rourkela
17	Cov/123432	Roma Sahoo	32	F	Nasal Swab	16.08.2021	Negative	9439373014	CMM NULL Rourkela
18	Cov/123433	Smita Swagatika Biswal	29	F	Nasal Swab	16.08.2021	Negative	9437166811	NHM Rourkela
19	Cov/123434	Diptimay Nayak	36	M	Nasal Swab	16.08.2021	Negative	9968809938	Senior Manager Rourkela
20	Cov/123435	Adil Mohammed	58	M	Nasal Swab	16.08.2021	Negative	9437198677	EE PHD Rourkela
21	Cov/123436	Subash Ch Rout	58	M	Nasal Swab	16.08.2021	Negative	9437442868	AEE PHD Rourkela
22	Cov/123437	Sridhar Pattnaik	54	M	Nasal Swab	16.08.2021	Negative	9437084494	AE PHD Rourkela
23	Cov/123438	Sushil Kumar	28	M	Nasal Swab	16.08.2021	Negative	9760563626	Manager RSC Rourkela
24	Cov/123439	Binod Kumar Sahoo	59	M	Nasal Swab	16.08.2021	Negative	9437213155	CHIEF ENG OWSSB Rourkela
25	Cov/123440	Basanta Pr Dakua	56	M	Nasal Swab	16.08.2021	Negative	8895120800	PROJECT ENG OWSSB Rourkela
26	Cov/123441	Lakshmi Kanta Tripathy	31	M	Nasal Swab	16.08.2021	Negative	7978008068	DY PROJECT ENGINEER Rourkela
27	Cov/123442	Bikash Jojo	23	M	Nasal Swab	16.08.2021	Negative	7894739194	Student Rourkela
28	Cov/123443	Raju Toppo	23	M	Nasal Swab	16.08.2021	Negative	8249584577	Student Rourkela
29	Cov/123444	Abhishek Pradhan	19	M	Nasal Swab	16.08.2021	Negative	7327057559	Student Rourkela
30	Cov/123445	Sk Hasim	39	M	Nasal Swab	16.08.2021	Negative	9938072330	OWSSB Driver Rourkela
31	Cov/123446	Bhabit Chawan	33	M	Nasal Swab	16.08.2021	Negative	8763257253	OWSSB Driver Rourkela
32	Cov/123447	Trupti Ranjan Singh	35	M	Nasal Swab	16.08.2021	Negative	8763937242	TECH, ASST Rourkela
33	Cov/123448	Sabya Sachi Rout	34	M	Nasal Swab	16.08.2021	Negative	9439666664	ADMIN ASST Rourkela
34	Cov/123449	Biswajit Beura	36	M	Nasal Swab	16.08.2021	Negative	9337143007	TECH ASST Rourkela
35	Cov/123450	Raja Vel	38	M	Nasal Swab	16.08.2021	Negative	8939828123	LNT Rourkela
36	Cov/123451	Ratanakar Sutar	50	M	Nasal Swab	16.08.2021	Negative	9437139668	LNT Driver Rourkela
37	Cov/123452	Ipsita Biswal	31	F	Nasal Swab	16.08.2021	Negative	9668224505	AEE RDA Rourkela
38	Cov/123453	Rabindra Nath Mishra	55	M	Nasal Swab	16.08.2021	Negative	9437041215	ARCH RDA Rourkela
39	Cov/123454	Sita Devi Majhi	33	F	Nasal Swab	16.08.2021	Negative	7377564643	Deputy Commissioner Rourkela
40	Cov/123455	Sudhansu Sekhar Pagada	35	M	Nasal Swab	16.08.2021	Negative	6200638148	MANAGER RSCL
41	Cov/123456	Apurba Ranjan Rout	34	M	Nasal Swab	16.08.2021	Negative	9238835083	SE MANAGER RSCL
42	Cov/123457	Gourab Mayee Pradhan	35	M	Nasal Swab	16.08.2021	Negative	8882091793	DEPUTY COMMISSIONER RMC
43	Cov/123458	Biswadeep Datta	54	M	Nasal Swab	16.08.2021	Negative	9636486783	PROJECT ENG RSCL

44	Cov/123459	Narendra Pradhan	47	M	Nasal Swab	16.08.2021	Negative	9438838588	ASST COMMISSIONER
45	Cov/123460	Manmohan Behera	43	M	Nasal Swab	16.08.2021	Negative	8328918197	DTL RSCL SNG
46	Cov/123461	Minaketan Sahoo	59	M	Nasal Swab	16.08.2021	Negative	8249833105	GL (ENT) RSCL
47	Cov/123462	Dr Jyoti Anuja	31	F	Nasal Swab	16.08.2021	Negative	9777956969	DR. UPSC DAV
48	Cov/123463	Dr Bijaya Naik	35	F	Nasal Swab	16.08.2021	Negative	8895922021	DR. UPSC DAV MAC
49	Cov/123464	Pramod Kumar Mahapatra	56	M	Nasal Swab	16.08.2021	Negative	9437274383	ASSISTANT ENG PWD
50	Cov/123465	Susanta Kumar Sarangi	47	M	Nasal Swab	16.08.2021	Negative	8917329300	MVI Rourkela
51	Cov/123467	Malaya Ranjan Panigrahi	36	M	Nasal Swab	16.08.2021	Negative	7978219608	PHM DAV Rourkela
52	Cov/123468	Fhalindra Singh	46	M	Nasal Swab	16.08.2021	Negative	9854831915	DAV SU Rourkela
53	Cov/123469	Badal Kumar Sahu	26	M	Nasal Swab	16.08.2021	Negative	8249091791	DAA DAV Rourkela
54	Cov/123470	Sonali Behera	28	F	Nasal Swab	16.08.2021	Negative	9439988690	DAV MAC HW(F) Rourkela
55	Cov/123471	Manoj Kumar Mahanandia	40	M	Nasal Swab	16.08.2021	Negative	9437638780	E E PWD Rourkela
56	Cov/123472	Ashutosh Jena	29	M	Nasal Swab	16.08.2021	Negative	9090203166	A E E PWD Rourkela
57	Cov/123473	Sulaminutam Minz	32	F	Nasal Swab	16.08.2021	Negative	9439989332	DAV MAC HW(F) Rourkela
58	Cov/123474	Khirodini Kalo	22	F	Nasal Swab	16.08.2021	Negative	7854807175	DAV MAC Rourkela
59	Cov/123475	Harakrushna Sahu	42	M	Nasal Swab	16.08.2021	Negative	7683893220	DRIVER PWD Rourkela
60	Cov/123476	Sukanti Behera	31	F	Nasal Swab	16.08.2021	Negative	8114858207	DAV MAC (LT) Rourkela
61	Cov/123477	Prashanti Mayee Das	35	F	Nasal Swab	16.08.2021	Negative	7008629166	DAV MACE(SN) Rourkela
62	Cov/123478	Pinki Behera	34	F	Nasal Swab	16.08.2021	Negative	8763649384	HEALTH WORKER Rourkela
63	Cov/123479	Sabitri Deep	58	F	Nasal Swab	16.08.2021	Negative	9338577595	FCI Rourkela
64	Cov/123480	Debabrata Jena	23	M	Nasal Swab	16.08.2021	Negative	7750944111	RSCL Rourkela
65	Cov/123481	Rashmi Kanta Nanda	32	M	Nasal Swab	16.08.2021	Negative	8895967549	RSCL Rourkela
66	Cov/123482	Supreme Ku Pradhan	26	M	Nasal Swab	16.08.2021	Negative	8763444869	Chhend NBCC Rourkela
67	Cov/123483	Rakesh Kumar	36	M	Nasal Swab	16.08.2021	Negative	7210647095	NBCC Chhend Rourkela
68	Cov/123484	Gyana Ranjan Samal	46	M	Nasal Swab	16.08.2021	Negative	9937487734	NBCC Chhend Rourkela
69	Cov/123485	Dr Jagadish Chandra Barik	63	M	Nasal Swab	16.08.2021	Negative	9938542797	SUPERINTENDENT RGH Rourkela
70	Cov/123486	Baikunthanath Behera	33	M	Nasal Swab	16.08.2021	Negative	9778790623	DRIVER Rourkela
71	Cov/123487	Jatish Barik	41	M	Nasal Swab	16.08.2021	Negative	9437342075	DRIVER Rourkela
72	Cov/123488	Sibunath Behera	31	M	Nasal Swab	16.08.2021	Negative	7978193013	DRIVER Rourkela

73	Cov/123489	Mohit Kumar Srivastav	32	M	Nasal Swab	16.08.2021	Negative	7008102679	Hospital Manager RGH Rourkela
74	Cov/123490	Dr Sashank Kabi Satpathy	60	M	Nasal Swab	16.08.2021	Negative	9437082750	SR. AMO RGH Rourkela
75	Cov/123491	Dr Santosh Kumar Swain	60	M	Nasal Swab	16.08.2021	Negative	9668453335	DIRECTOR RGH Rourkela
76	Cov/123492	Bijay Kumar Mohanty	58	M	Nasal Swab	16.08.2021	Negative	9437109886	DHH Rourkela
77	Cov/123493	Jitendra Guruda	37	M	Nasal Swab	16.08.2021	Negative	9438418153	DHH Rourkela
78	Cov/123494	Sabarish Kumar Narayan	35	M	Nasal Swab	16.08.2021	Negative	8826994871	L AND T Rourkela
79	Cov/123495	Sidhari Gopal	41	M	Nasal Swab	16.08.2021	Negative	9040544665	GOVT ITI Rourkela
80	Cov/123496	Pradeep Kumar Biswal	40	M	Nasal Swab	16.08.2021	Negative	8984275664	GOVT ITI Rourkela
81	Cov/123497	Raju Murmu	31	M	Nasal Swab	16.08.2021	Negative	7735056860	GOVT ITI Rourkela
82	Cov/123498	Rajni Lakra	22	F	Nasal Swab	16.08.2021	Negative	9178914232	GOVT ITI Rourkela
83	Cov/123499	Anita Bagsingh	19	F	Nasal Swab	16.08.2021	Negative	9439745225	GOVT ITI Rourkela
84	Cov/123500	Sanjit Kullu	20	M	Nasal Swab	16.08.2021	Negative	8456908734	GOVT ITI Rourkela
85	Cov/123501	Rajkumar Behera	19	M	Nasal Swab	16.08.2021	Negative	6372649807	GOVT ITI Rourkela
86	Cov/123502	Rabi Toppo	22	M	Nasal Swab	16.08.2021	Negative	6372766180	GOVT ITI Rourkela
87	Cov/123503	Abinash Lakra	20	M	Nasal Swab	16.08.2021	Negative	8895777305	GOVT ITI Rourkela
88	Cov/123504	Gautam Sahoo	19	M	Nasal Swab	16.08.2021	Negative	7077814226	GOVT ITI Rourkela
89	Cov/123505	Pranab Kumar Pattanaik	54	M	Nasal Swab	16.08.2021	Negative	9439434544	GOVT ITI Rourkela
90	Cov/123506	Partha Sarathi Mishra	35	M	Nasal Swab	16.08.2021	Negative	9937168739	GOVT ITI Rourkela
91	Cov/123507	Kunmun Behera	33	F	Nasal Swab	16.08.2021	Negative	9439723810	GOVT ITI Rourkela

Prepared by:

Checked and Approved by:

  
Krishna Ch. Majhi

Krishna Ch. Majhi

  
Dr. Ashit Bhusan Xess  
डा. अशीत भूपन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.

- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*