



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	16.08.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	13.08.2022; 09:00 A.M.
Date & Time of receipt of specimen	16.08.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/295135	2137301380802	Tarini Kinkar Nayak	19	M	Nasal Swab	16.08.2022	Negative	9437152688	Jagda Rourkela SNG
02	Cov/295136	2137301380804	Deepika Behera	26	F	Nasal Swab	16.08.2022	Negative	9668757641	Chhend Bagbodi Basti Rourkela
03	Cov/295137	2137301380808	Prakesh Ch Behera	35	M	Nasal Swab	16.08.2022	Negative	9668757641	Chhend Bagbodi Basti Rourkela
04	Cov/295138	2137301380826	Charan Preet Kaur	30	F	Nasal Swab	16.08.2022	Negative	7077714396	NIT Rourkela
05	Cov/295139	2137301380828	Sailya Nayak	40	F	Nasal Swab	16.08.2022	Negative	7008332891	Golghar Sector-5 Rourkela
06	Cov/295140	2137301380832	Rameswar Singh	45	M	Nasal Swab	16.08.2022	Negative	9668382383	Golghar Sector-5 Rourkela

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR