



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	16.08.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	14.08.2022; 09:00 A.M.
Date & Time of receipt of specimen	16.08.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/295369	2137301381490	Saraswati Behera	26	F	Nasal Swab	16.08.2022	Negative	6370406821	Mishra Khatal Sector-20 Rourkela
2	Cov/295370	2137301381491	Bhubaneswar Naik	52	F	Nasal Swab	16.08.2022	Negative	9938374427	Tangarpali Rourkela
3	Cov/295371	2137301381492	Bimla Devi	50	F	Nasal Swab	16.08.2022	Negative	7381959274	Hamirpur Sector-19 Rourkela
4	Cov/295372	2137301381493	Etwari Oram	57	F	Nasal Swab	16.08.2022	Negative	6372211837	Bhalulata Bisra SNG
5	Cov/295373	2137301381494	Sarjeet Jojo	19	F	Nasal Swab	16.08.2022	Negative	6371419422	Bisra Sundargarh
6	Cov/295374	2137301381495	Premika Horo	20	F	Nasal Swab	16.08.2022	Negative	7064393118	Koelbank Kharia Bahal SNG
7	Cov/295375	2137301381496	Anusaya Nag	44	F	Nasal Swab	16.08.2022	Negative	7077933867	STI Rourkela
8	Cov/295376	2137301381498	Ram Dhewen Singh	65	M	Nasal Swab	16.08.2022	Negative	9668759079	Basanti Rourkela
9	Cov/295377	2137301381499	Ahalya Mahanta	43	F	Nasal Swab	16.08.2022	Negative	9124717884	Deogaon Janmur
10	Cov/295378	2137301381500	Sradhanjali Parida	35	F	Nasal Swab	16.08.2022	Negative	9040333532	Auto Colony Fertilizer
11	Cov/295379	2137301381501	Teter Cibil	35	M	Nasal Swab	16.08.2022	Negative	7204709026	Chhend Rourkela
12	Cov/295380	2137301381502	Sabitri Sahoo	37	F	Nasal Swab	16.08.2022	Negative	9348267005	STI Rajib Basti Rourkela
13	Cov/295381	2137301381503	Sapan Rana	31	M	Nasal Swab	16.08.2022	Negative	7873627370	A-6 Civil Township Rourkela
14	Cov/295382	2137301381504	Dib Purty	22	M	Nasal Swab	16.08.2022	Negative	7978070911	Golkera SNG
15	Cov/295383	2137301381505	Rita Panda	42	F	Nasal Swab	16.08.2022	Negative	6372497065	DL-145 Basanti Colony Rourkela
16	Cov/295384	2137301381506	Apalina Xalxo	13	F	Nasal Swab	16.08.2022	Negative	7326857637	Birkera SNG
17	Cov/295385	2137301381507	Trilochan Nayak	23	M	Nasal Swab	16.08.2022	Negative	7978218379	Sector-15 Rourkela
18	Cov/295386	2137301381508	Tilak Kumar Dhar	39	M	Nasal Swab	16.08.2022	Negative	9776885091	Labour Tournament Rourkela
19	Cov/295387	2137301381509	Santosh Lakra	23	M	Nasal Swab	16.08.2022	Negative	6370773110	Jhirpani Rourkela
20	Cov/295388	2137301381510	Panchana Rath	86	M	Nasal Swab	16.08.2022	Negative	9853166336	Sector-21Rourkela
21	Cov/295389	2137301381511	Raibari Kishan	50	F	Nasal Swab	16.08.2022	Negative	7815078389	Luthurbahal Bonai SNG
22	Cov/295390	2137301381528	Raju Mahal	26	M	Nasal Swab	16.08.2022	Negative	9668183772	Lathikata Rourkela

23	Cov/295391	2137301381530	Laxmi Das	35	F	Nasal Swab	16.08.2022	Negative	6372894479	Tarkera Rourkela
24	Cov/295392	2137301381531	Bisu Xalxo	50	M	Nasal Swab	16.08.2022	Negative	9827048754	Rajgangpur SNG
25	Cov/295393	2137301381532	Ratikanta Patra	56	M	Nasal Swab	16.08.2022	Negative	9861173628	Labour Tournament Rourkela
26	Cov/295394	2137301381534	Sourav Sankar	27	M	Nasal Swab	16.08.2022	Negative	9438209349	Bondamunda Rourkela
27	Cov/295395	2137301381536	Anil Kerketta	16	M	Nasal Swab	16.08.2022	Negative	9439775002	Rajgangpur SNG
28	Cov/295396	2137301381537	Rakib Khan	21	M	Nasal Swab	16.08.2022	Negative	7029452504	Civil Township Rourkela
29	Cov/295397	2137301381538	Niranjan Dash	24	M	Nasal Swab	16.08.2022	Negative	7846893839	Sector-21 Rourkela
30	Cov/295398	2137301381539	Subhadra Tanty	32	F	Nasal Swab	16.08.2022	Negative	7681886985	Gudiatoli Rourkela

Prepared by:


Checked and Approved by:



Krishna Ch. Majhi



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*