



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	16.08.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	14.08.2022; 09:00 A.M.
Date & Time of receipt of specimen	16.08.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/295399	2137301381563	Anup Kumar Sahani	46	M	Nasal Swab	16.08.2022	Negative	7752070630	B-78 Sector-2 Rourkela
02	Cov/295400	2137301381565	Prajnjan Paramita Barik	43	F	Nasal Swab	16.08.2022	Negative	7752070630	B-78 Sector-2 Rourkela
03	Cov/295401	2137301381568	Ananya Sahani	12	F	Nasal Swab	16.08.2022	Negative	7752070630	B-78 Sector-2 Rourkela
04	Cov/295402	2137301381571	Aradhya Sahani	6	F	Nasal Swab	16.08.2022	Negative	7752070630	B-78 Sector-2 Rourkela
05	Cov/295403	2137301381572	Saswat Sahani	26	M	Nasal Swab	16.08.2022	Negative	7752070630	B-78 Sector-2 Rourkela
06	Cov/295404	2137301381575	Trilochan Nayak	41	M	Nasal Swab	16.08.2022	Negative	9831439132	Sector-1 G-13 Rourkela
07	Cov/295405	2137301381577	Md Mozammil Akhtar	24	M	Nasal Swab	16.08.2022	Negative	8249449765	Sector-16 Rourkela
08	Cov/295406	2137301381580	Yogesh Agarwal	41	M	Nasal Swab	16.08.2022	Negative	9437045958	N-13 Civil Township Rourkela
09	Cov/295407	2137301381588	Sulochana Nayak	73	M	Nasal Swab	16.08.2022	Negative	9437152688	Jagda Rourkela
10	Cov/295408	2137301381583	Prasanna Kumar Lakra	52	M	Nasal Swab	16.08.2022	Negative	7894344187	D-87 Kalinga Vihar Chhend Rourkela

Prepared by:

Checked and Approved by:

  
Krishna Ch. Majhi

  
Dr. Ashit Bhusan Xess

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrate (IDSP) any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Dr. Ashit Bhusan Xess  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela