



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	16.09.2022; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	15.09.2022; 09:00 A.M.
Date & Time of receipt of specimen	16.09.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/303661	2137301415865	Ghasiram Oram	32	M	Nasal Swab	16.09.2022	Negative	9437939752	Badgaon, Gurundia
2	Cov/303662	2137301415867	Ankita Kerketta	14	F	Nasal Swab	16.09.2022	Negative	8280453135	Kanya Ashram, Gurundia
3	Cov/303663	2137301415869	Karishma Minz	15	F	Nasal Swab	16.09.2022	Negative	7653984629	Kanya Ashram, Gurundia
4	Cov/303664	2137301415870	Mani Patra	15	F	Nasal Swab	16.09.2022	Negative	7609825460	Kanya Ashram, Gurundia
5	Cov/303665	2137301415872	Isha Preeti Minz	10	F	Nasal Swab	16.09.2022	Negative	7978121816	Kanya Ashram, Gurundia
6	Cov/303666	2137301415873	Bishmita Jojo	11	F	Nasal Swab	16.09.2022	Negative	7205265120	Kanya Ashram, Gurundia
7	Cov/303667	2137301415875	Padmabati Kishan	10	F	Nasal Swab	16.09.2022	Negative	8480146635	Kanya Ashram, Gurundia
8	Cov/303668	2137301415877	Anuska Tirkey	12	F	Nasal Swab	16.09.2022	Negative	8480146635	Kanya Ashram, Gurundia
9	Cov/303669	2137301415879	Sudeep Soreng	10	M	Nasal Swab	16.09.2022	Negative	8480774196	Kantapali, Gurundia
10	Cov/303670	2137301415881	Prakesh Chandra Jena	40	M	Nasal Swab	16.09.2022	Negative	8763988142	Alekhpur, Gurundia

Prepared by:

Checked and Approved by:

Karishma

Dr. Ashit Bhusan Xess

**Krishna Ch. Majhi**

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela