



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, ROURKELA

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	16.10.2021; 08:15 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	14.10.2021; 09:00 A.M.
Date & Time of receipt of specimen	16.10.2021; 09:45 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/161809	2137300828355	Tripathi Thakur	30	M	Nasal Swab	16.10.2021	Negative	8480056016	Kulkuta Bonai Sundargarh
2	Cov/161810	2137300828364	Sebati Thakur	50	F	Nasal Swab	16.10.2021	Negative	8480056016	Kulkuta Bonai Sundargarh
3	Cov/161811	2137300828370	Khageswar Thakur	35	M	Nasal Swab	16.10.2022	Negative	8480056016	Kulkuta Bonai Sundargarh
4	Cov/161812	2137300828377	Kisan Luhura	35	M	Nasal Swab	16.10.2021	Negative	8480056016	Kulkuta Bonai Sundargarh
5	Cov/161813	2137300828382	Guru Charan Rana	30	M	Nasal Swab	16.10.2021	Negative	8480056016	Kulkuta Bonai Sundargarh
6	Cov/161814	2137300828399	Pramila Rana	36	F	Nasal Swab	16.10.2021	Negative	8480056016	Kulkuta Bonai Sundargarh
7	Cov/161815	2137300828409	Krushna Rana	32	M	Nasal Swab	16.10.2021	Negative	8480056016	Kulkuta Bonai Sundargarh
8	Cov/161816	2137300828422	Kumari Rana	24	F	Nasal Swab	16.10.2021	Negative	9078949088	Kulkuta Bonai Sundargarh
9	Cov/161817	2137300828430	Promod Thakur	26	M	Nasal Swab	16.10.2022	Negative	9078949088	Kulkuta Bonai Sundargarh
10	Cov/161818	2137300828439	Mohan Rana	36	M	Nasal Swab	16.10.2021	Negative	9078949088	Kulkuta Bonai Sundargarh
11	Cov/161819	2137300828444	Lipan Ku Rana	28	M	Nasal Swab	16.10.2021	Negative	9078949088	Kulkuta Bonai Sundargarh
12	Cov/161820	2137300828452	Khusi Thakur	32	F	Nasal Swab	16.10.2022	Negative	9078949088	Kulkuta Bonai Sundargarh
13	Cov/161821	2137300828460	Debaki Rana	30	F	Nasal Swab	16.10.2021	Negative	9078949088	Kulkuta Bonai Sundargarh

Prepared by:

Checked and Approved by:



**Krishna Ch. Majhi**

*Note: The results relate only to the specimens tested and should be correlated with clinical findings.*

**Interpretation guidance:-**

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*



**Dr. Ashit Bhusan Xess**



डा. अशित भूपन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela