



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report


Date and time of reporting	17.03.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	16.03.2023; 09:00 A.M.
Date & Time of receipt of specimen	17.03.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/319143	2137301497743	Dhirulata Mohanty	63	F	Nasal Swab	17.03.2023	Negative	7682955145	Labourtournament RKL
2	Cov/319144	2137301497744	Biplab Dhara	17	M	Nasal Swab	17.03.2023	Negative	8018353848	Gurudwara Road RKL
3	Cov/319145	2137301497745	Nihar Ranjan Jena	53	M	Nasal Swab	17.03.2023	Negative	8280999982	Basanti Colony RKL
4	Cov/319146	2137301497746	Biswajit Banerjee	38	M	Nasal Swab	17.03.2023	Negative	7878520018	Balughat Rourkela
5	Cov/319147	2137301497747	Panka Behera	35	F	Nasal Swab	17.03.2023	Negative	8658250540	Dav Rourkela
6	Cov/319148	2137301497749	Rahul Behera	20	M	Nasal Swab	17.03.2023	Negative	6372957803	Jagda Rourkela
7	Cov/319149	2137301497750	Biswanath Singha	65	M	Nasal Swab	17.03.2023	Negative	9341355616	Gaillen Bhatti Jharkhand
8	Cov/319150	2137301497752	Kailash Chandra Khuntia	75	M	Nasal Swab	17.03.2023	Negative	9583185609	Uper Balijodi RKL
9	Cov/319151	2137301497754	Piyush Gupta	17	M	Nasal Swab	17.03.2023	Negative	7978069772	Sector 22 Rourkela
10	Cov/319152	2137301497756	Dibyadarshini Tadingi	17	F	Nasal Swab	17.03.2023	Negative	7978645697	Sos Village Chhend RKL SNG
11	Cov/319153	2137301497757	Rabin Lakra	24	M	Nasal Swab	17.03.2023	Negative	8658590920	Hatibari Sundargarh
12	Cov/319154	2137301497758	Manoj Kumar Chouhan	35	M	Nasal Swab	17.03.2023	Negative	7205245060	Sector 20 Rourkela
13	Cov/319155	2137301497759	Kulamani Sahoo	75	M	Nasal Swab	17.03.2023	Negative	9937535447	Chhend Colony RKL
14	Cov/319156	2137301497760	Badabhadra Mahanta	61	M	Nasal Swab	17.03.2023	Negative	7735210298	Lahunipada SNG
15	Cov/319157	2137301497761	Sudhanshu Srichandan	44	M	Nasal Swab	17.03.2023	Negative	9937225909	Basanti Colony RKL
16	Cov/319158	2137301497762	Sanjay Behera	37	M	Nasal Swab	17.03.2023	Negative	9937377474	Chhend Colony RKL
17	Cov/319159	2137301497773	Md Toni	35	M	Nasal Swab	17.03.2023	Negative	8093404076	Mahtab Road RKL
18	Cov/319160	2137301497774	Rajendra Kullu	45	M	Nasal Swab	17.03.2023	Negative	9556114789	Kudabeda Birmitrapur
19	Cov/319161	2137301497775	Radha Minz	63	F	Nasal Swab	17.03.2023	Negative	8456889283	Khulbilung Sambalpur
20	Cov/319162	2137301497776	Sanmati Malwa	80	F	Nasal Swab	17.03.2023	Negative	8984007689	Banki Birmitrapur
21	Cov/319163	2137301497777	Minati Fotkar	24	F	Nasal Swab	17.03.2023	Negative	9692994083	Falsaghat Bonai

22	Cov/319164	2137301497778	Ashok Kumbhar	47	M	Nasal Swab	17.03.2023	Negative	9937434064	Sector 20 Rourkela
23	Cov/319165	2137301497779	Deepak Gope	18	M	Nasal Swab	17.03.2023	Negative	6370838691	Jagda Rourkela
24	Cov/319166	2137301497780	Mohan Lohar	45	M	Nasal Swab	17.03.2023	Negative	8895023680	Kutiga Bisra
25	Cov/319167	2137301497781	Parbati Munda	55	F	Nasal Swab	17.03.2023	Negative	7205930842	Lahunipada SNG
26	Cov/319168	2137301497782	Ashish Kumar Ravi	32	M	Nasal Swab	17.03.2023	Negative	8018090506	Rajgangpur Sundargarh
27	Cov/319169	2137301497783	Abraham Topno	73	M	Nasal Swab	17.03.2023	Negative	9471134200	Manoharpur Jharkhand
28	Cov/319170	2137301497784	Radharani Prusty	55	F	Nasal Swab	17.03.2023	Negative	9938902515	Sti Rourkela

Prepared by:

Checked and Approved by:



Hemanti Sabar



Dr. Ashit Bhusan Xess

डा. अशित भूषण खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR