



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report


Date and time of reporting	17.04.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	15.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	17.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/320183	2137301506590	Bishal Sharma	18	M	Nasal Swab	17.04.2023	Negative	9178543486	Jamunanaki Kuarmunda
2	Cov/320184	2137301506593	Abhina Lohar	43	M	Nasal Swab	17.04.2023	Negative	9439433698	Ataghat Lathikata
3	Cov/320185	2137301506595	Bipin Patra	40	M	Nasal Swab	17.04.2023	Negative	7978989651	Jagda Jhirpani RKL
4	Cov/320186	2137301506597	Sibani Das	25	F	Nasal Swab	17.04.2023	Negative	9090084173	Jail Road RKL
5	Cov/320187	2137301506598	Bhinsari Badaik	45	F	Nasal Swab	17.04.2023	Negative	9692179492	Sitalpada Uditnagar RKL
6	Cov/320188	2137301506600	Umesh Pandit	28	M	Nasal Swab	17.04.2023	Negative	9128114788	Chhend Colony RKL
7	Cov/320189	2137301506603	Pulin Manna	63	M	Nasal Swab	17.04.2023	Negative	9937627706	Uditnagar Rourkela
8	Cov/320190	2137301506604	Arpita Swain	21	F	Nasal Swab	17.04.2023	Negative	7381476006	Hitech Medical College RKL
9	Cov/320191	2137301506606	Upendra Tanty	53	M	Nasal Swab	17.04.2023	Negative	7381796227	G B Palli Rourkela
10	Cov/320192	2137301506608	Seema Sarkar	30	F	Nasal Swab	17.04.2023	Negative	9090835771	Malgodam Rourkela
11	Cov/320193	2137301506610	Madha Tanty	45	M	Nasal Swab	17.04.2023	Negative	9438613879	Balani Lathikata
12	Cov/320194	2137301506613	Priti Sethy	30	F	Nasal Swab	17.04.2023	Negative	8018611527	Deogaon RKL
13	Cov/320195	2137301506616	Namita Nag	39	F	Nasal Swab	17.04.2023	Negative	9438465991	Teliposh Bonaigarh
14	Cov/320196	2137301506618	Janaki Chandra	40	F	Nasal Swab	17.04.2023	Negative	7846973761	Malgodam Rourkela
15	Cov/320197	2137301506622	Sarita Agarwal	42	F	Nasal Swab	17.04.2023	Negative	9861042306	Hotel Deluxe Line RKL
16	Cov/320198	2137301506624	Saheen Parween	25	F	Nasal Swab	17.04.2023	Negative	9776621955	Bisra Rourkela
17	Cov/320199	2137301506735	Madan Gand	29	M	Nasal Swab	17.04.2023	Negative	8602435346	Lamboi Rajgangpur
18	Cov/320200	2137301506736	Ganesh Prasad Das	68	M	Nasal Swab	17.04.2023	Negative	9938411660	B Tarang RKL
19	Cov/320201	2137301506737	Bhola Verma	25	M	Nasal Swab	17.04.2023	Negative	8018781321	Daily Market RKL
20	Cov/320202	2137301506738	Kamala Patra	60	F	Nasal Swab	17.04.2023	Negative	7978004884	Jambirposh Bonai
21	Cov/320203	2137301506739	Chengi Sahu	60	F	Nasal Swab	17.04.2023	Negative	8328938115	Purnapani Hatibari

22	Cov/320204	2137301506740	Padmini Kahar	26	F	Nasal Swab	17.04.2023	Negative	9777690261	Railway Colony RKL
23	Cov/320205	2137301506741	Folara Kindo	36	F	Nasal Swab	17.04.2023	Negative	9668750652	Labourturnament RKL
24	Cov/320206	2137301506742	Nageswar Rout	26	M	Nasal Swab	17.04.2023	Negative	7377003818	Sector 7 Rourkela
25	Cov/320207	2137301506743	Rajesh Soreng	45	M	Nasal Swab	17.04.2023	Negative	7653878592	Basanti Colony RKL
26	Cov/320208	2137301506744	Badal Chowdhury	55	M	Nasal Swab	17.04.2023	Negative	9337368798	Uditnagar RKL
27	Cov/320209	2137301506745	Rabi Sharma	37	M	Nasal Swab	17.04.2023	Negative	9204037762	Deogaon RKL
28	Cov/320210	2137301506746	Sonu Gupta	33	M	Nasal Swab	17.04.2023	Negative	8895062012	Vedvyas Rourkela

Prepared by:

Checked and Approved by:



Hemanti Sabar



Dr. Ashit Bhusan Xess

डॉ. अशित भुषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR