



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	17.08.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	14.08.2022; 09:00 A.M.
Date & Time of receipt of specimen	16.08.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/295418	2137301381540	Maheswar Minz	18	M	Nasal Swab	17.08.2022	Negative	7894689064	Jabaghat Jhirpani
02	Cov/295419	2137301382156	Samrudhi Satapathy	18	F	Nasal Swab	17.08.2022	Negative	9437221033	MI-71 Kalinga Vihar Rourkela

Prepared by:

Krishna Ch. Majhi

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Checked and Approved by:

Dr. Ashit Bhusan Xess