



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	17.08.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	16.08.2022; 09:00 A.M.
Date & Time of receipt of specimen	17.08.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/295497	2137301381873	Damyanti Jena	45	F	Nasal Swab	17.08.2022	Negative	7367947760	Teliposh KMD
2	Cov/295498	2137301381883	Kumudini Dutta	25	F	Nasal Swab	17.08.2022	Negative	7367947760	Teliposh KMD
3	Cov/295499	2137301381899	Ratan Xalxo	26	M	Nasal Swab	17.08.2022	Negative	6372111626	Bartagutu KMD
4	Cov/295500	2137301381902	Pratima Bhoi	26	F	Nasal Swab	17.08.2022	Negative	9360781056	Padmalaya KMD
5	Cov/295501	2137301381904	Sashmita Nayak	38	F	Nasal Swab	17.08.2022	Negative	9937377066	Kuarmunda KMD
6	Cov/295502	2137301381906	Chandini Behera	30	F	Nasal Swab	17.08.2022	Negative	6372111626	Kuarmunda KMD
7	Cov/295503	2137301381909	Tuni Naik	52	M	Nasal Swab	17.08.2022	Negative	6372111626	Teliposh KMD
8	Cov/295504	2137301381911	Hemlata Giri	45	F	Nasal Swab	17.08.2022	Negative	8763481150	Kuarmunda KMD
9	Cov/295505	2137301381913	Kalpna Das	54	F	Nasal Swab	17.08.2022	Negative	7008535739	Padampur KMD
10	Cov/295506	2137301381927	Lipan Pradhan	18	M	Nasal Swab	17.08.2022	Negative	7846993385	Check Gate KMD
11	Cov/295507	2137301381928	Sakuntala Naik	48	F	Nasal Swab	17.08.2022	Negative	9439785443	Kuarmunda KMD
12	Cov/295508	2137301381932	Gelhi Sahoo	26	F	Nasal Swab	17.08.2022	Negative	8917639398	Kuarmunda KMD
13	Cov/295509	2137301381934	Bikash Ranjan Swain	48	M	Nasal Swab	17.08.2022	Negative	8658486542	Vedavyas Rourkela
14	Cov/295510	2137301381935	Ashish Minz	18	M	Nasal Swab	17.08.2022	Negative	8249764973	Padampur KMD
15	Cov/295511	2137301381936	Alina Minz	20	F	Nasal Swab	17.08.2022	Negative	8249764973	Padampur KMD
16	Cov/295512	2137301381937	Tarani Sahoo	35	M	Nasal Swab	17.08.2022	Negative	8763401150	Kuarmunda KMD
17	Cov/295513	2137301381939	Reshma Yadav	39	F	Nasal Swab	17.08.2022	Negative	8249764973	Chutiatala KMD
18	Cov/295514	2137301381941	Usha Kallo	25	F	Nasal Swab	17.08.2022	Negative	8717639398	Sarvesh KMD
19	Cov/295515	2137301381850	Manas Ranjan Sahoo	19	M	Nasal Swab	17.08.2022	Negative	8260983286	Padampur KMD
20	Cov/295516	2137301381852	Alma Soreng	20	F	Nasal Swab	17.08.2022	Negative	8917639698	Padampur KMD
21	Cov/295517	2137301381853	Debasish Sahoo	54	M	Nasal Swab	17.08.2022	Negative	9439993321	Kuarmunda Chc

22	Cov/295518	2137301381855	Parinati Ekka	8	F	Nasal Swab	17.08.2022	Negative	9078613292	Beldipa KMD
23	Cov/295519	2137301381858	Sukanta Badaik	27	M	Nasal Swab	17.08.2022	Negative	7205346641	Padampur KMD
24	Cov/295520	2137301381861	Bablu Badaik	20	M	Nasal Swab	17.08.2022	Negative	7655835226	Padampur KMD
25	Cov/295521	2137301381864	Karishma Chhura	28	F	Nasal Swab	17.08.2022	Negative	7655835226	Padampur KMD
26	Cov/295522	2137301381871	Padmini Rout	29	F	Nasal Swab	17.08.2022	Negative	9778887418	Sarandaposh KMD

Prepared by:



Krishna Ch. Majhi

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Checked and Approved by:



Dr. Ashit Bhusan Xess

डॉ. अशीत भूपन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkea