



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	17.08.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	16.08.2022; 09:00 A.M.
Date & Time of receipt of specimen	17.08.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/295674	2137301383628	Sourish Sau	13	M	Nasal Swab	17.08.2022	Negative	7326829555	MIG-II-52 Chhend Colony Rourkela
02	Cov/295675	2137301383639	Pooja Agarwal	30	F	Nasal Swab	17.08.2022	Negative	9438714222	Uditnagar Daily Markey Rourkela
03	Cov/295676	2137301383647	Abrar Ahmad	22	M	Nasal Swab	17.08.2022	Negative	8984589210	Netaji Marg Old Station Road
04	Cov/295677	2137301383650	Bharat Bagaria	40	M	Nasal Swab	17.08.2022	Negative	9437039000	Uditnagar Grihasthi Main Road
05	Cov/295678	2137301383658	Fakir Charan Mohanty	69	M	Nasal Swab	17.08.2022	Negative	7381046277	D3-01 Civil Township Rourkela
06	Cov/295679	2137301383666	Arati Mohanty	67	F	Nasal Swab	17.08.2022	Negative	7381046277	D3-01 Civil Township Rourkela
07	Cov/295680	2137301383841	Amit Sahu	38	M	Nasal Swab	17.08.2022	Negative	9910970529	D-175 Koelnagar Rourkela
08	Cov/295681	2137301383842	Nivedita Sahu	36	F	Nasal Swab	17.08.2022	Negative	9910970529	D-175 Koelnagar Rourkela
09	Cov/295682	2137301383844	Saanvi Sahu	7	F	Nasal Swab	17.08.2022	Negative	9910970529	D-175 Koelnagar Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR