



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	17.09.2022; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	16.09.2022; 09:00 A.M.
Date & Time of receipt of specimen	17.09.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/303530	2137301414906	Supriya Madki	12	F	Nasal Swab	17.09.2022	Negative	7751020958	Laing School, Rajganpur
2	Cov/303531	2137301414915	Supriya Majhi	13	F	Nasal Swab	17.09.2022	Negative	8093224323	Laing School, Rajganpur
3	Cov/303532	2137301414922	Pramila Soreng	11	F	Nasal Swab	17.09.2022	Negative	8093224323	Laing School, Rajganpur
4	Cov/303533	2137301414928	Reshma Mahakul	11	F	Nasal Swab	17.09.2022	Negative	8338897922	Laing School, Rajganpur
5	Cov/303534	2137301414932	Monika Bada	12	F	Nasal Swab	17.09.2022	Negative	8093224323	Laing School, Rajganpur
6	Cov/303535	2137301414974	Ansh Bhaisal	2	M	Nasal Swab	17.09.2022	Negative	9348774913	Ghogar, Rajganpur
7	Cov/303536	2137301414986	Arjan Ekka	12	M	Nasal Swab	17.09.2022	Negative	8658655807	Laing School, Rajganpur
8	Cov/303537	2137301414996	Debasis Bag	11	M	Nasal Swab	17.09.2022	Negative	9556480474	Laing School, Rajganpur
9	Cov/303538	2137301415002	Karishna Bahala	11	M	Nasal Swab	17.09.2022	Negative	9556724381	Laing School, Rajganpur
10	Cov/303539	2137301415066	Lisa Seth	13	F	Nasal Swab	17.09.2022	Negative	8280452596	Ghogar, Rajganpur
11	Cov/303540	2137301415075	Pooja Rana	15	F	Nasal Swab	17.09.2022	Negative	6370585974	Mahuldihi, Rajganpur
12	Cov/303541	2137301415080	Satya Lakra	25	M	Nasal Swab	17.09.2022	Negative	9438303954	Khajurdihi, Rajganpur
13	Cov/303542	2137301415086	Juli Tigga	26	F	Nasal Swab	17.09.2022	Negative	9438303954	Barpali, Rajganpur
14	Cov/303543	2137301415098	Sanjib Lakra	35	M	Nasal Swab	17.09.2022	Negative	9438303954	Khajurdihi, Rajganpur
15	Cov/303544	2137301415109	Aradhana Tirkey	4	F	Nasal Swab	17.09.2022	Negative	6372597403	Khajurdihi, Rajganpur
16	Cov/303545	2137301415160	Marithan Dan	15	F	Nasal Swab	17.09.2022	Negative	9556387738	Laing School, Rajganpur
17	Cov/303546	2137301415169	Rajani Minz	13	F	Nasal Swab	17.09.2022	Negative	9178523028	Laing School, Rajganpur
18	Cov/303547	2137301415178	Sujata Oram	14	F	Nasal Swab	17.09.2022	Negative	7683803678	Laing School, Rajganpur
19	Cov/303548	2137301415189	Pramika Kispotta	13	F	Nasal Swab	17.09.2022	Negative	7682877619	Laing School, Rajganpur
20	Cov/303549	2137301415203	Sumita Kujur	12	F	Nasal Swab	17.09.2022	Negative	9178444796	Laing School, Rajganpur
21	Cov/303550	2137301415216	Anjalina Oram	14	F	Nasal Swab	17.09.2022	Negative	9178229363	Laing School, Rajganpur
22	Cov/303551	2137301415223	Priyanka Kujur	14	F	Nasal Swab	17.09.2022	Negative	9861340531	Laing School, Rajganpur


23	Cov/303552	2137301415233	Tara Toppo	14	F	Nasal Swab	17.09.2022	Negative	8018523059	Laing School, Rajganpur
24	Cov/303553	2137301415244	Roshni Toppo	14	F	Nasal Swab	17.09.2022	Negative	7749071485	Laing School, Rajganpur

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Rajeev Kr. Seth

डा. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR