



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	17.09.2022; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	16.09.2022; 09:00 A.M.
Date & Time of receipt of specimen	17.09.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/303980	2137301417917	Jayesh Kumar Aditya	52	M	Nasal Swab	17.09.2022	Negative	9437047901	Civil Township, RKL
02	Cov/303981	2137301417921	Nirupama Dwibedy	48	F	Nasal Swab	17.09.2022	Negative	9611807383	HIG-AD/12 Chhend, RKL
03	Cov/303982	2137301417926	Situn Mallick	30	M	Nasal Swab	17.09.2022	Negative	9611807383	HIG-AD/12 Chhend, RKL
04	Cov/303983	2137301417932	Subrata Kumar Mohanty	43	M	Nasal Swab	17.09.2022	Negative	9238394012	Chhend Colony Gangadhar Palli, RKL
05	Cov/303984	2137301417936	Sanu Singhal	30	F	Nasal Swab	17.09.2022	Negative	9437964377	Basanti Colony Shiv Kuti Kacheri Road, RKL
06	Cov/303985	2137301417939	Ahmed Sajjad	55	M	Nasal Swab	17.09.2022	Negative	9337045409	Halina Complex Uditnagar, RKL

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Rajeev Kr. Seth

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR