



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, ROURKELA

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	18.01.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	15.01.2022; 09:00 A.M.
Date & Time of receipt of specimen	16.01.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/226125	2137301052448	Rohit Yadav	21	M	Nasal Swab	18.01.2022	Negative	7978732251	Ocl Market Rajgangpur
02	Cov/226126	2137301052472	Prem Sah	23	M	Nasal Swab	18.01.2022	Negative	8249581329	Liploi Rajgangpur
03	Cov/226127	2137301052527	Ashok Jena	40	M	Nasal Swab	18.01.2022	Negative	9668878380	Mission Hota Rajgangpur
04	Cov/226128	2137301052559	Kalyan Guha	58	M	Nasal Swab	18.01.2022	Negative	8637833525	Bhatta ParaRajgangpur
05	Cov/226129	2137301052612	Pratik Pradhan	31	M	Nasal Swab	18.01.2022	Negative	9348816788	OCLColony
06	Cov/226131	2137301052651	Somanath Parida	50	M	Nasal Swab	18.01.2022	Negative	9777874227	OclcolonyRajgangpur
07	Cov/226134	2137301052731	Amarendra Kumar	31	M	Nasal Swab	18.01.2022	Negative	6261779491	OclcolonyRajgangpur
08	Cov/226136	2137301052780	Bhabatosh Gouda	21	M	Nasal Swab	18.01.2022	Negative	8847871346	IT Colony Rajgangpur
09	Cov/226139	2137301053247	Mukash Kanani	57	M	Nasal Swab	18.01.2022	Negative	9778774242	Stationpara Rajgangpur
10	Cov/226141	2137301053309	Gagankumar Agrawal	49	M	Nasal Swab	18.01.2022	Negative	9337900280	TalkipadaRajgangpur
11	Cov/226142	2137301053340	Seema Agrawal	45	F	Sample Not Received			9337900280	TalkipadaRajgangpur
12	Cov/226148	2137301053577	Swati Karmakar	29	F	Nasal Swab	18.01.2022	Negative	9438490730	OCLColony Rajgangpur
13	Cov/226149	2137301053611	Setty Pramita Patra	75	F	Nasal Swab	18.01.2022	Negative	6372176687	OCLColony Rajgangpur

Prepared by:

Krishna Ch. Majhi

C

by:

डॉ. राजीव कुमार सेठ  
Dr. RAJEEV KUMAR SETH  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

*Interpretation guidance:-*

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*