

DEPARTMENT OF MICROBIOLOGY ISPAT GENERAL HOSPITAL SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	18.03.2022; 05:00 P.M.					
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela	Rourkela Govt. Hospital, Rourkela				
SPECIMEN DETAILS						
Date & Time of sample collection	17.03.2022; 09:00 A.M.					
Date & Time of receipt of specimen	18.03.2022; 09:30 A.M.					
Condition of specimens received / Quality on arrival	Acceptable					
REPORTING DETAILS						

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019- nCoV	Mobile No.	Address
1	Cov/264157	2137301238358	Deepika Mukhi	26	F	Nasal Swab	18.03.2022	Negative	8327752018	Lanjiberna Rajgangpur SNG
2	Cov/264158	2137301238361	Laxman Pradhan	37	M	Nasal Swab	18.03.2022	Negative	7609027170	F/12 Fertilizer RKL
3	Cov/264159	2137301238367	B K Samal	50	M	Nasal Swab	18.03.2022	Negative	9437391182	C2L2-79 Chhend RKL
4	Cov/264160	2137301238411	Lalita Badaik	27	M	Nasal Swab	18.03.2022	Negative	9777634645	Mantola Basti Civil Township RKL
5	Cov/264161	2137301238417	Gulapi Tandi	55	F	Nasal Swab	18.03.2022	Negative	8260476649	H Block Basti Sector-6 RKL
6	Cov/264162	2137301238677	Kiran Devi	40	F	Nasal Swab	18.03.2022	Negative	9934466785	Daily Market Road RKL
7	Cov/264163	2137301238681	Triloki Singh	32	M	Nasal Swab	18.03.2022	Negative	6200354234	N K Nagar Fertilizer
8	Cov/264164	2137301238684	Mamta Pradhan	18	F	Nasal Swab	18.03.2022	Negative	7205543051	Kalunga RKL
9	Cov/264165	2137301238688	Nitu Das	26	F	Nasal Swab	18.03.2022	Negative	8309654718	Railway Colony RKL
10	Cov/264166	2137301238690	Amar Kalita	42	M	Nasal Swab	18.03.2022	Negative	8309654718	Railway Colony RKL
11	Cov/264167	2137301238695	Prince Kumar	21	M	Nasal Swab	18.03.2022	Negative	7894870040	Sec -E Bondamunda RKL
12	Cov/264168	2137301238699	Yasoda Devi	45	F	Nasal Swab	18.03.2022	Negative	8260476649	Sector-6 Rajib Nagar RKL
13	Cov/264169	2137301238701	Shvamlal Nonwar	33	M	Nasal Swab	18.03.2022	Negative	8917504726	Kapilash Birmitrapur SNG
14	Cov/264170	2137301238703	Muskan Mandal	21	M	Nasal Swab	18.03.2022	Negative	6204590209	Bondamunda RKL
15	Cov/264171	2137301238705	Reena Sutar	46	F	Nasal Swab	18.03.2022	Negative	9861814308	Sec-C Bondamunda RKL
16	Cov/264172	2137301238708	Mohit Kumar Doshi	36	M	Nasal Swab	18.03.2022	Negative	9040742081	Am-36 Basanti Colony RKL
17	Cov/264173	2137301238712	Anuska Rath	20	F	Nasal Swab	18.03.2022	Negative	7749916332	Kishan Tola Panposh RKL
18	Cov/264174	2137301238720	Mamta Sahoo	42	F	Nasal Swab	18.03.2022	Negative	7978030072	Labour Tournament RKL
19	Cov/264175	2137301238726	Sumit Roy	31	M	Nasal Swab	18.03.2022	Negative	8899222049	D/52 Sector-15 RKL
20	Cov/264176	2137301238730	Kartik Mahto	22	M	Nasal Swab	18.03.2022	Negative	9523032046	Manoharpur Jharkhand
21	Cov/264177	2137301238733	Sibacharan Bhumij	42	M	Nasal Swab	18.03.2022	Negative	8260949545	Deogaon Rn Palli RKL
22	Cov/264178	2137301239624	Bhimsen Horo	70	M	Nasal Swab	18.03.2022	Negative	9178539592	Tithei Tanger Purnapani RKL

23 Cov/264179 2137301239627 Mikhil Menon 25 M Nasal Swab 18.03.2022 Negative 7873153815 M-89 Chhend Rourkela

Prepared by:

Checked and Approved by:



B

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

डा. अभीत भूपन खेस Dr. ASHIT BHUSAN XESS Consultant Microbiologist SAIL, RSP, IGH, Rounkera

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR