



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	18.04.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela, CHC- HATIBARI
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	17.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	18.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/320317	2137301507616	Piyush Kandulna	30	M	Nasal Swab	18.04.2023	Negative	9937976026	Hatibari Tisco
02	Cov/320318	2137301507632	Maghi Kujur	48	F	Nasal Swab	18.04.2023	Negative	9938736186	Kokerema Hatibari
03	Cov/320320	2137301507643	Gulsan Sahu	40	M	Nasal Swab	18.04.2023	Negative	9178725818	Purnapani Purnapani
04	Cov/320322	2137301507659	Purnima Dehuri	12	F	Nasal Swab	18.04.2023	Negative	6371819597	Hatibari Kumbhartoli
05	Cov/320323	2137301507662	Kasturi Ganjhu	65	F	Nasal Swab	18.04.2023	Negative	8763957493	Bemta Kokerama
06	Cov/320324	2137301507666	Sibani Kandulana	75	F	Nasal Swab	18.04.2023	Negative	9438391358	Purnapani Purnapani
07	Cov/320325	2137301507672	Naresh Kondari	38	M	Nasal Swab	18.04.2023	Negative	9124313326	Jaharitoli Purnapani
08	Cov/320327	2137301507669	Joy Munda	6	M	Nasal Swab	18.04.2023	Negative	9178556692	Hatibari Baidyanathpur
09	Cov/320328	2137301507680	Sabita Soni	30	F	Nasal Swab	18.04.2023	Negative	7894950351	Kandarkela Hatibari
10	Cov/320329	2137301507686	Manga Soreng	60	M	Nasal Swab	18.04.2023	Negative	7077021575	Nuagaon Block Basti

Prepared by:

Hemanti

Hemanti Sabar

Checked and Approved by:

Dr. Ashit Bhusan Xess

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR