



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	18.05.2021; 08:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	17.05.2021; 09:00 A.M
Date & Time of receipt of specimen	18.05.2021; 10:25 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
1	Cov/66237	Hiradhar Sahu	52	M	Nasal swab	18.05.2021	Negative
2	Cov/66238	Rajesh Singhal	53	M	Nasal swab	18.05.2021	Negative
3	Cov/66422	Yogeswar Rout	31	M	Nasal swab	18.05.2021	Negative
4	Cov/66423	Biranchi Prasad Rout	49	M	Nasal swab	18.05.2021	Negative
5	Cov/66424	Blasioush Minz	49	M	Nasal swab	18.05.2021	Negative
6	Cov/66425	Madan Sahoo	30	M	Nasal swab	18.05.2021	Negative
7	Cov/66426	Mitrabhanu Soreng	30	M	Nasal swab	18.05.2021	Negative
8	Cov/66427	Sradhanjali Lugun	36	F	Nasal swab	18.05.2021	Negative
9	Cov/66243	G K Alok Das	43	M	Nasal swab	18.05.2021	Negative
10	Cov/66244	Suryakanta Mallick	30	M	Nasal swab	18.05.2021	Negative
11	Cov/66245	Chandra Sekhar Singh	38	M	Nasal swab	18.05.2021	Negative
12	Cov/66247	Amit Kumar Barla	31	M	Nasal swab	18.05.2021	Negative
13	Cov/66248	Prashanta Panda	48	M	Nasal swab	18.05.2021	Negative
14	Cov/66249	Sanjukta Ghorai	45	F	Nasal swab	18.05.2021	Negative
15	Cov/66251	Jyoti Rekha Jena	26	F	Nasal swab	18.05.2021	Negative
16	Cov/66252	Dilip Saha	50	F	Nasal swab	18.05.2021	Negative
17	Cov/66253	Fakir Mohan Deo	58	M	Nasal swab	18.05.2021	Negative

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkera

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*