



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	18.07.2022; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	16.07.2022; 09:00 A.M.
Date & Time of receipt of specimen	18.07.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/282434	2137301326264	Rajkumar Badtya	38	M	Nasal Swab	18.07.2022	Negative	9776377061	DI-135,Basanti Colony, Rourkela
02	Cov/282435	2137301326270	Mahabir Panda	51	M	Nasal Swab	18.07.2022	Negative	9437172237	B-08,NIT Campus, Rourkela
03	Cov/282436	2137301326277	Bratati Panda	52	F	Nasal Swab	18.07.2022	Negative	9437172237	B-08,NIT Campus, Rourkela
04	Cov/282437	2137301326281	Ashok Kumar Mohapatra	48	M	Nasal Swab	18.07.2022	Negative	9178608623	B/135,Sector-7, Rourkela
05	Cov/282438	2137301326289	Shraddha Lall	27	F	Nasal Swab	18.07.2022	Negative	9502180250	J-05,Civil Township, Rourkela
06	Cov/282439	2137301326296	Vikram Ravindra Nath	25	M	Nasal Swab	18.07.2022	Negative	9502180250	J-05,Civil Township, Rourkela
07	Cov/282440	2137301326304	Amita Mishra	46	F	Nasal Swab	18.07.2022	Negative	8763254557	AM-63,Basanti Colony, Rourkela
08	Cov/282441	2137301326305	Atasi Sahoo	8	F	Nasal Swab	18.07.2022	Negative	8763254557	AM-63,Basanti Colony, Rourkela
09	Cov/282442	2137301326307	Aprant Kumar Sahoo	14	M	Nasal Swab	18.07.2022	Negative	8763254557	AM-63,Basanti Colony, Rourkela

Prepared by:

Krishna Ch. Majhi

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Dr. Ashit Bhusan Xess

डा. अशीत भूषण खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) / any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.

- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*