



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

| | |
|--|-----------------------------------|
| Date and time of reporting | 18.07.2022; 04:30 P.M. |
| Address of the referring facility/Hospital | Rourkela Govt. Hospital, Rourkela |
| SPECIMEN DETAILS | |
| Date & Time of sample collection | 17.07.2022; 09:00 A.M. |
| Date & Time of receipt of specimen | 18.07.2022; 09:30 A.M. |
| Condition of specimens received / Quality on arrival | Acceptable |
| REPORTING DETAILS | |

| Sr. No. | Sample ID | SRF ID | Patient Name | Age | Sex | Specimen type | Date of sample testing | Result 2019-nCoV | Mobile No. | Address |
|---------|------------|---------------|--------------------|-----|-----|---------------|------------------------|------------------|------------|------------------------------------|
| 01 | Cov/282631 | 2137301327119 | Amit Gopinath | 38 | M | Nasal Swab | 18.07.2022 | Negative | 9886288188 | HIG-B-346 Chhend,Phase-3, Rourkela |
| 02 | Cov/282632 | 2137301327120 | Rasmita Samanta | 38 | F | Nasal Swab | 18.07.2022 | Negative | 9886288188 | HIG-B-346 Chhend,Phase-3, Rourkela |
| 03 | Cov/282633 | 2137301327121 | Arav Gopinath | 8 | M | Nasal Swab | 18.07.2022 | Negative | 9886288188 | HIG-B-346 Chhend,Phase-3, Rourkela |
| 04 | Cov/282634 | 2137301327123 | Sudhendu Kumar Das | 47 | M | Nasal Swab | 18.07.2022 | Negative | 9437406735 | S2H-46,Chhend,Colony 11, Rourkela |
| 05 | Cov/282635 | 2137301327124 | Priya Mohanty | 44 | F | Nasal Swab | 18.07.2022 | Negative | 9437406735 | S2H-46,Chhend,Colony 11, Rourkela |
| 06 | Cov/282636 | 2137301327125 | Shreya Das | 11 | F | Nasal Swab | 18.07.2022 | Negative | 9437406735 | S2H-46,Chhend,Colony 11, Rourkela |
| 07 | Cov/282637 | 2137301327129 | Swarup Tripathy | 32 | M | Nasal Swab | 18.07.2022 | Negative | 9739598109 | B/91,Sector-18, Rourkela |

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) any other health care facility affirming requirements of the case definition/s.

- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*