



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	18.09.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	18.09.2021; 09:00 A.M.
Date & Time of receipt of specimen	18.09.2021; 02:00 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/146911	Anil Das	45	M	Nasal Swab	18.09.2021	Negative	8144723614	Kuharpada Sng
2	Cov/146912	Bhayabati Rana	64	F	Nasal Swab	18.09.2021	Negative	9937632399	Hatibari Sng
3	Cov/146913	Damu Oram	75	M	Nasal Swab	18.09.2021	Negative	7855869454	Sanmarain Birda Sng
4	Cov/146914	Sambari Kumhar	45	F	Nasal Swab	18.09.2021	Negative	8895293139	Sonaparbat Rkl
5	Cov/146915	Podsini Lohar	26	F	Nasal Swab	18.09.2021	Negative	7978578438	Jail Road Rourkla
6	Cov/146916	Hrtiwik Sahu	4	M	Nasal Swab	18.09.2021	Negative	9777589494	Bondamunda Rkl
7	Cov/146917	Bablu Sahu	49	M	Nasal Swab	18.09.2021	Negative	9437902315	Bondamunda Rkl
8	Cov/146918	Amit Kumar	30	M	Nasal Swab	18.09.2021	Negative	8083810840	Bondamunda Rkl
9	Cov/146919	Sita Devi	43	F	Nasal Swab	18.09.2021	Negative	7004942328	Bondamunda Rkl
10	Cov/146920	Avani Sahoo	3	F	Nasal Swab	18.09.2021	Negative	9078545723	Bondamunda Rkl
11	Cov/146921	Tuni Gupta	59	F	Nasal Swab	18.09.2021	Negative	7978006490	Bondamunda Rkl
12	Cov/146922	Neha Kumari	23	F	Nasal Swab	18.09.2021	Negative	9861288611	Bondamunda Rkl
13	Cov/146923	Ramesh Ku Sahoo	36	M	Nasal Swab	18.09.2021	Negative	9861288611	Bondamunda Rkl
14	Cov/146924	Jayanta Mangarat	45	M	Nasal Swab	18.09.2021	Negative	9938415641	Balughat Rourkela
15	Cov/146925	Pramod Kumar Nayak	32	M	Nasal Swab	18.09.2021	Negative	9348858537	Koelnagar Rkl
16	Cov/146926	Kanakalata Sekhar	45	F	Nasal Swab	18.09.2021	Negative	6371181567	Hatibari Sng
17	Cov/146927	Sanjay Behera	34	M	Nasal Swab	18.09.2021	Negative	9372624971	Fertilizer Rkl
18	Cov/146928	Kasturi Naik	66	F	Nasal Swab	18.09.2021	Negative	8763236817	Rgh Ipd Rkl
19	Cov/146929	Rajesh Sharma	46	M	Nasal Swab	18.09.2021	Negative	9178293950	Rgh Ipd Rkl
20	Cov/146930	Sita Tanty	40	F	Nasal Swab	18.09.2021	Negative	8763569695	Rgh Ipd Rkl

21	Cov/146931	Anjali Dori	85	F	Nasal Swab	18.09.2021	Negative	8917245567	Rgh Ipd Rkl
22	Cov/146932	Prakash Ram Sahoo	41	M	Nasal Swab	18.09.2021	Negative	8917245567	Rgh Ipd Rkl
23	Cov/146933	Sona Nidwar	15	F	Nasal Swab	18.09.2021	Negative	9348284311	Rgh Ipd Rkl
24	Cov/146934	Bhoja Oram	70	M	Nasal Swab	18.09.2021	Negative	6383825291	Rgh Ipd Rkl
25	Cov/146935	Istanish Xalxo	40	M	Nasal Swab	18.09.2021	Negative	7683880397	Rgh Ipd Rkl
26	Cov/146936	Nrupamani Rana	33	M	Nasal Swab	18.09.2021	Negative	9861120764	Rgh Ipd Rkl
27	Cov/146937	Baldav Nayak	46	M	Nasal Swab	18.09.2021	Negative	8480287132	Rgh Ipd Rkl
28	Cov/146938	Sukri Kishan	62	F	Nasal Swab	18.09.2021	Negative	8260012870	Rgh Ipd Rkl
29	Cov/146939	Rahil Ekka	65	F	Nasal Swab	18.09.2021	Negative	7609041524	Rgh Ipd Rkl
30	Cov/146940	Deogi Munda	46	F	Nasal Swab	18.09.2021	Negative	7606940053	Rgh Ipd Rkl
31	Cov/146941	Rohit Rawani	26	M	Nasal Swab	18.09.2021	Negative	8144435085	Rgh Ipd Rkl
32	Cov/146942	Gurudev Patra	40	M	Nasal Swab	18.09.2021	Negative	9348514236	Rgh Ipd Rkl
33	Cov/146943	Ranjit Oram	40	M	Nasal Swab	18.09.2021	Negative	9668870963	Rgh Ipd Rkl
34	Cov/146944	Panu Munda	40	M	Nasal Swab	18.09.2021	Negative	7606940053	Rgh Ipd Rkl
35	Cov/146945	Sahadev Lohar	55	M	Nasal Swab	18.09.2021	Negative	9934420075	Rgh Ipd Rkl
36	Cov/146946	Bishal Kindo	22	M	Nasal Swab	18.09.2021	Negative	6370867908	Rgh Ipd Rkl
37	Cov/146947	Lebo Toppno	60	F	Nasal Swab	18.09.2021	Negative	7205494605	Rgh Ipd Rkl
38	Cov/146948	Sarat Ch Dora	52	M	Nasal Swab	18.09.2021	Negative	8895911701	Chhend S2M/159 Rkl
39	Cov/146949	Natasha Barwa	26	F	Nasal Swab	18.09.2021	Negative	7978626513	Vedvyas B Tarang

Prepared by:

Krishna

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Dr. Ashit Bhusan Xess

डॉ. अशित भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR