



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	18.10.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	17.10.2022; 09:00 A.M.
Date & Time of receipt of specimen	18.10.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/309844	2137301441204	Sujata Topno	26	F	Nasal Swab	18.10.2022	Negative	7978371206	Dairy Farm, KMD
2	Cov/309888	2137301441095	Nisahal Tirky	14	M	Nasal Swab	18.10.2022	Negative	8895095043	Badnuagaon, Rajgangpur
3	Cov/309889	2137301441100	Anil Kujur	11	M	Nasal Swab	18.10.2022	Negative	7873244619	Laing School
4	Cov/309890	2137301441104	Ankit Tirky	14	M	Nasal Swab	18.10.2022	Negative	6370221525	Laing School, Rajgangpur
5	Cov/309891	2137301441107	Sonu Milua	14	M	Nasal Swab	18.10.2022	Negative	9078559707	Laing, Rajgangpur
6	Cov/309892	2137301441110	Khilaram Hemrom	13	M	Nasal Swab	18.10.2022	Negative	7978882716	Laing School, Rajgangpur
7	Cov/309893	2137301441113	Monalisha Ekka	14	F	Nasal Swab	18.10.2022	Negative	9937685381	Kanshbahal, Rajgangpur
8	Cov/309894	2137301441115	Ankita Banasa	14	F	Nasal Swab	18.10.2022	Negative	6372558909	Model School Laing
9	Cov/309895	2137301441117	Pratima Xess	11	F	Nasal Swab	18.10.2022	Negative	7894523832	Model School Laing
10	Cov/309896	2137301441119	Sabita Kujur	12	F	Nasal Swab	18.10.2022	Negative	8260962282	Model School Laing, Rajgangpur
11	Cov/309897	2137301441124	Sahil Xalxo	10	M	Nasal Swab	18.10.2022	Negative	6370047374	Model School Laing
12	Cov/309898	2137301441126	Sadhmani Majhi	33	F	Nasal Swab	18.10.2022	Negative	9668408192	Laing, Rajgangpur
13	Cov/309899	2137301441130	Sahil Soreng	12	M	Nasal Swab	18.10.2022	Negative	7077618128	Mahuldihi, Rajgangpur

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

***Interpretation guidance:-***

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*