



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	18.10.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	17.10.2022; 09:00 A.M.
Date & Time of receipt of specimen	18.10.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/309968	2137301442092	Ashok Kumar Mahato	28	M	Nasal Swab	18.10.2022	Negative	9040219396	C-234 Sector 7 Rourkela
02	Cov/309969	2137301442097	Mahesh Jayantilal Vajir	62	M	Nasal Swab	18.10.2022	Negative	8105411577	F-02 Civil Township Rourkela
03	Cov/309970	2137301442102	Vajir	71	M	Nasal Swab	18.10.2022	Negative	8105411577	F-02 Civil Township Rourkela
04	Cov/309971	2137301442108	Rajat Kumar Kar	41	M	Nasal Swab	18.10.2022	Negative	9853000002	Hig-59 Chhend Rourkela
05	Cov/309972	2137301442114	Sasmita Kar	36	F	Nasal Swab	18.10.2022	Negative	9853000002	Hig-59 Chhend Rourkela
06	Cov/309973	2137301442118	Srikanta Kar	40	M	Nasal Swab	18.10.2022	Negative	9575026748	Civil Township RKL
07	Cov/309974	2137301442123	Prasanta Kumar Sahoo	59	M	Nasal Swab	18.10.2022	Negative	9437044756	Civil Township 08 Rourkela
08	Cov/309975	2137301442126	Archana Sahoo	44	F	Nasal Swab	18.10.2022	Negative	9437044756	Civil Township 08 Rourkela
09	Cov/309976	2137301442131	Ranja Rajnikant Vajir	69	F	Nasal Swab	18.10.2022	Negative	8105411577	F-02 Civil Township RKL
10	Cov/309977	2137301442135	Bipashna Sahoo	23	F	Nasal Swab	18.10.2022	Negative	9437044756	O-08 Civil Township RKL
11	Cov/309978	2137301442193	Madhani	43	F	Nasal Swab	18.10.2022	Negative	8105411577	N-21 Civil Township RKL
12	Cov/309979	2137301442189	Megha Madhani	40	F	Nasal Swab	18.10.2022	Negative	8105411577	N-21 Civil Township RKL
13	Cov/309980	2137301442145	Tanisha Madhani	13	F	Nasal Swab	18.10.2022	Negative	8105411577	N-21 Civil Township RKL
14	Cov/309981	2137301442151	Jiya Bhavesh Madhani	7	F	Nasal Swab	18.10.2022	Negative	8105411577	N-21 Civil Township RKL
15	Cov/309982	2137301442155	Sunita Mahesh Vajir	62	F	Nasal Swab	18.10.2022	Negative	8105411577	N-21 Civil Township RKL
16	Cov/309983	2137301442157	Sudeshna Sahoo	26	F	Nasal Swab	18.10.2022	Negative	8105411577	N-21 Civil Township RKL
17	Cov/309984	2137301442159	Ketan Mahesh Vajir	32	M	Nasal Swab	18.10.2022	Negative	8105411577	N-21 Civil Township RKL
18	Cov/309985	2137301442235	Birendra Mahato	52	M	Nasal Swab	18.10.2022	Negative	9437027334	A-456 Koelnagar RKL
19	Cov/309986	2137301442239	Basanti Mahato	45	F	Nasal Swab	18.10.2022	Negative	9437027334	A-456 Koelnagar RKL
20	Cov/309987	2137301442256	Ritesh Mahato	20	M	Nasal Swab	18.10.2022	Negative	9437027334	A-456 Koelnagar RKL

Prepared by:



Krishna Ch. Majhi

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*

Checked and Approved by:



Dr. Ashit Bhusan Xess

