



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	18.11.2022; 03:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	17.11.2022; 09:00 A.M.
Date & Time of receipt of specimen	18.11.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/313769	2137301458148	Niharkanta Sahoo	41	M	Nasal Swab	18.11.2022	Negative	9439943089	JF-6 Jagda RKL
02	Cov/313770	2137301458149	Kiran Kumari	37	F	Nasal Swab	18.11.2022	Negative	9439343089	JF-6 Jagda RKL
03	Cov/313771	2137301458151	Harshit Sahoo	8	M	Nasal Swab	18.11.2022	Negative	9439343089	JF-6 Jagda RKL
04	Cov/313772	2137301458154	Kajal Prasad	30	F	Nasal Swab	18.11.2022	Negative	6370144732	OOO-3 Civil Township RKL
05	Cov/313773	2137301458158	Birbal Ekka	36	M	Nasal Swab	18.11.2022	Negative	9090740747	Jagda RKL SNG
06	Cov/313774	2137301458162	Rajiv Bothra	28	M	Nasal Swab	18.11.2022	Negative	9777775336	Uditnagar Power House Road RKL
07	Cov/313775	2137301458167	Surabhi Choraria	27	F	Nasal Swab	18.11.2022	Negative	9777775336	Uditnagar Power House Road RKL
08	Cov/313776	2137301458174	Anita Khatua	45	F	Nasal Swab	18.11.2022	Negative	9439782111	Panposh RKL
09	Cov/313777	2137301458177	Bijaashri Das	6	F	Nasal Swab	18.11.2022	Negative	9439782111	Panposh RKL

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डा. अशीत भुषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR