



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	19.01.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	16.01.2022; 09:00 A.M.
Date & Time of receipt of specimen	17.01.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/228405	2137301067173	Sisira Mishra	35	M	Nasal Swab	19.01.2022	Negative	8917492035	SP Vigilance Office RKL
02	Cov/228406	2137301067191	Serlin Merry Minz	3	F	Nasal Swab	19.01.2022	Negative	8260059210	SP Vigilance Office RKL
03	Cov/228407	2137301067202	Arun Khadia	28	M	Nasal Swab	19.01.2022	Negative	9668585310	SP Vigilance Office RKL
04	Cov/228408	2137301067212	Vijay Kumar Singh	65	M	Nasal Swab	19.01.2022	Negative	6371228172	SP Vigilance Office RKL
05	Cov/228409	2137301067225	Brundabati Tandi	35	F	Nasal Swab	19.01.2022	Negative	8895555964	SP Vigilance Office RKL
06	Cov/228410	2137301067233	Manoj Kumar Minz	40	M	Nasal Swab	19.01.2022	Negative	9437341139	SP Vigilance Office RKL
07	Cov/228411	2137301067249	Rose Merry Minz	8	F	Nasal Swab	19.01.2022	Negative	9437341139	SP Vigilance Office RKL

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

डा. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR