



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report


Date and time of reporting	19.01.2023; 03:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	18.01.2023; 09:00 A.M.
Date & Time of receipt of specimen	19.01.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/316865	2137301481495	Gajendra Kar	58	M	Nasal Swab	19.01.2023	Negative	9776359272	Uditnagar Rourkela
2	Cov/316866	2137301481496	Manoj Toppo	40	M	Nasal Swab	19.01.2023	Negative	9776493989	Sector 20 Rourkela
3	Cov/316867	2137301481498	Binko Tirkey	35	F	Nasal Swab	19.01.2023	Negative	8144402089	Mandira Rajgangpur
4	Cov/316868	2137301481499	Lalamani Kumbhar	57	F	Nasal Swab	19.01.2023	Negative	7846969294	Badmarin Birda
5	Cov/316869	2137301481501	Ramchandra Kishan	81	M	Nasal Swab	19.01.2023	Negative	8984490112	Tuniyapali Tikayatpali
6	Cov/316870	2137301481504	Ghanashyam Samanta	34	M	Nasal Swab	19.01.2023	Negative	7978914728	Bhawanipur Osap
7	Cov/316871	2137301481507	Siba Das	19	M	Nasal Swab	19.01.2023	Negative	7656928071	Sector 6 Rourkela
8	Cov/316872	2137301481509	M Dilux	63	M	Nasal Swab	19.01.2023	Negative	7894296436	Labourtournament Rkl
9	Cov/316873	2137301481510	Neeraj Kumar	30	M	Nasal Swab	19.01.2023	Negative	9012633157	Halima Complex Rkl
10	Cov/316874	2137301481514	Pradip Kerketta	38	M	Nasal Swab	19.01.2023	Negative	9777329072	Balughat Rkl
11	Cov/316875	2137301481517	Bobulu Mohapatra	41	M	Nasal Swab	19.01.2023	Negative	9668122042	Ispat Nidan Kendra
12	Cov/316876	2137301481520	Swarnalata Jena	40	F	Nasal Swab	19.01.2023	Negative	7205263701	Sector 15 Rourkela
13	Cov/316877	2137301481523	Kaushalya Sharma	35	F	Nasal Swab	19.01.2023	Negative	9348284819	Sector 8 Rourkela
14	Cov/316878	2137301481526	Rahul Kumar Sahoo	20	M	Nasal Swab	19.01.2023	Negative	8917513905	Gudiatoli Rkl
15	Cov/316879	2137301481528	Shanti Biswal	57	F	Nasal Swab	19.01.2023	Negative	9348077850	Dav Basti Rkl
16	Cov/316880	2137301481530	Manju Bara	30	F	Nasal Swab	19.01.2023	Negative	9668158195	Jhartarang Rkl
17	Cov/316881	2137301481532	Raja Babu Ram	21	M	Nasal Swab	19.01.2023	Negative	7750057211	Railway Colony Rkl
18	Cov/316882	2137301481533	Pradosh Pattnaik	32	M	Nasal Swab	19.01.2023	Negative	9337212070	Sti Labour Tournament Rkl
19	Cov/316883	2137301481534	Jiban Kumar Xess	54	M	Nasal Swab	19.01.2023	Negative	8280469326	Buchahonda Rkl
20	Cov/316884	2137301481652	Sankar Sen	62	M	Nasal Swab	19.01.2023	Negative	8339822151	Sector 5 Rourkela
21	Cov/316885	2137301481654	Birbal Yadab	55	M	Nasal Swab	19.01.2023	Negative	9776193799	Malgodam Rourkela

22	Cov/316886	2137301481656	Shanti Devi	62	F	Nasal Swab	19.01.2023	Negative	9777676049	Dolposh Rourkela
23	Cov/316887	2137301481659	Ashirbad Goud	28	M	Nasal Swab	19.01.2023	Negative	7847987877	Rajgangpur Sundargarh
24	Cov/316888	2137301481661	Eren Tirkey	60	F	Nasal Swab	19.01.2023	Negative	7978962617	Kapatmunda Bondamunda
25	Cov/316889	2137301481662	Junas Ekka	40	M	Nasal Swab	19.01.2023	Negative	9348836730	Bakibahar Sundargarh
26	Cov/316890	2137301481664	Md Nizam	61	M	Nasal Swab	19.01.2023	Negative	9040537528	Jhirpani Rourkela
27	Cov/316891	2137301481666	Jharia Singh	28	F	Nasal Swab	19.01.2023	Negative	7750071825	Sector 14 Rourkela

Prepared by:

Checked and Approved by:



Hemanti Sabar



Dr. Ashit Bhusan Xess

डा. अशीत भुषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*