



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	19.04.2021; 01:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	17.04.2021; 09:00 A.M.
Date & Time of receipt of specimen	18.04.2021; 11:20 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result
							2019-nCoV
1	Cov/53032	SARASWATI KERKETTA	14	FEMALE	NASAL SWAB	19.04.2021	POSITIVE
2	Cov/53033	DIBAS CHANDRA MAHATO	43	MALE	NASAL SWAB	19.04.2021	POSITIVE
3	Cov/53034	YOSADA MAHATO	40	FEMALE	NASAL SWAB	19.04.2021	POSITIVE
4	Cov/53035	MADHUSMITA MAHATO	20	FEMALE	NASAL SWAB	19.04.2021	POSITIVE
5	Cov/53036	SONALI MAHATO	15	FEMALE	NASAL SWAB	19.04.2021	POSITIVE
6	Cov/53037	NIROJ KUMAR MAHATO	13	MALE	NASAL SWAB	19.04.2021	POSITIVE
7	Cov/53047	PRAJWAL DAS	7	MALE	NASAL SWAB	19.04.2021	POSITIVE
8	Cov/53066	C PUN NAIK	15	MALE	NASAL SWAB	19.04.2021	POSITIVE

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशित भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR