



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	19.11.2022; 03:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	18.11.2022; 09:00 A.M.
Date & Time of receipt of specimen	19.11.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/313892	2137301458624	Vikash Goyal	42	M	Nasal Swab	19.11.2022	Negative	9437101103	Panposh RKL
2	Cov/313893	2137301458627	Rasika Goyal	14	F	Nasal Swab	19.11.2022	Negative	9437101103	Panposh RKL
3	Cov/313894	2137301458630	Arati Goyal	40	F	Nasal Swab	19.11.2022	Negative	9437101103	Panposh RKL
4	Cov/313895	2137301458632	Ansh Goyal	11	M	Nasal Swab	19.11.2022	Negative	9437101103	Panposh RKL
5	Cov/313896	2137301458634	Bijayananda Agarwal	61	M	Nasal Swab	19.11.2022	Negative	9437044431	Panposh RKL
6	Cov/313897	2137301458636	Sumitra Agarwal	54	F	Nasal Swab	19.11.2022	Negative	9437044431	Panposh RKL
7	Cov/313898	2137301458640	Amit Kumar Banka	42	M	Nasal Swab	19.11.2022	Negative	9338704795	GG-15 Civil Town Ship RKL
8	Cov/313899	2137301458646	Abha Banka	42	F	Nasal Swab	19.11.2022	Negative	9338704795	GG-15 Civil Town Ship RKL
9	Cov/313900	2137301458653	Riddhi Banka	9	F	Nasal Swab	19.11.2022	Negative	9338704795	GG-15 Civil Town Ship RKL
10	Cov/313901	2137301458909	Roshan Lal Bansal	69	M	Nasal Swab	19.11.2022	Negative	9861743326	CCC-20 Civil Town Ship RKL
11	Cov/313902	2137301458912	Pushpa Devi Bansal	63	F	Nasal Swab	19.11.2022	Negative	9861743326	CCC-20 Civil Town Ship RKL
12	Cov/313903	2137301458669	Vishal Joshi	38	M	Nasal Swab	19.11.2022	Negative	9437244202	Basanti Colony RKL
13	Cov/313904	2137301458673	Prem Chand Agarwal	67	M	Nasal Swab	19.11.2022	Negative	9437244202	Basanti Colony RKL
14	Cov/313905	2137301458684	Anju Raveendran Babu	51	F	Nasal Swab	19.11.2022	Negative	8136859318	FRM-603 Nit Rourkela
15	Cov/313906	2137301458687	Kashika Kharia	17	F	Nasal Swab	19.11.2022	Negative	9437048189	Basanti Colony RKL
16	Cov/313907	2137301458698	Vaishali Kharia	47	F	Nasal Swab	19.11.2022	Negative	9437048189	Basanti Colony RKL
17	Cov/313908	2137301458704	Pravin Kharia	52	M	Nasal Swab	19.11.2022	Negative	9437048189	Basanti Colony RKL
18	Cov/313909	2137301458707	Santosh Kumar Agarwal	51	M	Nasal Swab	19.11.2022	Negative	9238306217	AM-44 Basanti Colony RKL
19	Cov/313910	2137301458710	Swayam Agarwal	17	M	Nasal Swab	19.11.2022	Negative	9238306217	AM-44 Basanti Colony RKL
20	Cov/313911	2137301458712	Abdul Salim	51	M	Nasal Swab	19.11.2022	Negative	9437044902	Basanti Colony RKL
21	Cov/313912	2137301458747	Sunil Kayal	59	M	Nasal Swab	19.11.2022	Negative	9437045909	T-9 Civil Township RKL
22	Cov/313913	2137301458754	Arya Naresh	59	M	Nasal Swab	19.11.2022	Negative	9437045274	Uditnagar RKL

23	Cov/313914	2137301458760	Arya Asha	52	F	Nasal Swab	19.11.2022	Negative	9437045274	Uditnagar RKL
24	Cov/313915	2137301458804	Gangadhar Das	66	M	Nasal Swab	19.11.2022	Negative	9437407294	Contractor Colony Hamirpur SNG
25	Cov/313916	2137301458809	Arati Kar	62	F	Nasal Swab	19.11.2022	Negative	9437407294	Contractor Colony Hamirpur SNG
26	Cov/313917	2137301458838	Shyamalan Sundar Agarwal	70	M	Nasal Swab	19.11.2022	Negative	9437041179	M-3 Civil Township RKL
27	Cov/313918	2137301458842	Pawan Kumar Bagaria	62	M	Nasal Swab	19.11.2022	Negative	9437041179	M-3 Civil Township RKL

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess

डा. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR