



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	20.02.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	19.02.2023; 09:00 A.M.
Date & Time of receipt of specimen	20.02.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/318340	2137301491703	Pradeep Kumar Mallick	29	M	Nasal Swab	20.02.2023	Negative	8917439401	Dav Basti Rourkela
02	Cov/318341	2137301491704	Reena Dang	21	F	Nasal Swab	20.02.2023	Negative	8658775707	Raiboga Kuarmunda
03	Cov/318342	2137301491705	Tula Patra	60	F	Nasal Swab	20.02.2023	Negative	7848468414	Lahunipada Sundargarh
04	Cov/318343	2137301491706	Tupi Badaik	55	F	Nasal Swab	20.02.2023	Negative	7205645840	Nuagaon Hatibari
05	Cov/318344	2137301491707	Ankita Kerketta	15	F	Nasal Swab	20.02.2023	Negative	9692286336	Shantinagar Rourkela
06	Cov/318345	2137301491708	Sana Farhin	22	F	Nasal Swab	20.02.2023	Negative	8984452139	Sector 15 Rourkela
07	Cov/318346	2137301491709	Fulkumari Luhura	15	F	Nasal Swab	20.02.2023	Negative	8480422685	Lahunipada Sundargarh
08	Cov/318347	2137301491710	Jamuna Nag	45	F	Nasal Swab	20.02.2023	Negative	7327915479	Panposh Rourkela
09	Cov/318348	2137301491711	Budhuni Mundari	60	F	Nasal Swab	20.02.2023	Negative	7008330182	Panposh Rourkela
10	Cov/318349	2137301491712	Boita Singh	50	F	Nasal Swab	20.02.2023	Negative	8926227005	Paikelaposh Bonai
11	Cov/318350	2137301491713	Bhima Bhumij	52	M	Nasal Swab	20.02.2023	Negative	9439773461	Asurchhapal Lathikata
12	Cov/318351	2137301491714	Neheru Gope	62	M	Nasal Swab	20.02.2023	Negative	8969476954	Raikera Jharkhand
13	Cov/318352	2137301491715	Raju Satnamv	28	M	Nasal Swab	20.02.2023	Negative	6371137373	Idc Kalunga
14	Cov/318353	2137301491716	Champa Kujur	45	M	Nasal Swab	20.02.2023	Negative	9937731884	Jhartarang
15	Cov/318354	2137301491717	Majhi Kishan	65	M	Nasal Swab	20.02.2023	Negative	9178781360	Patua Bad Dalki

Prepared by:

Hemanti Sabar

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषण खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

*Interpretation guidance:-*

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*