



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report


Date and time of reporting	20.04.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	19.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	20.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/320487	2137301509171	Sukramani Kansari	43	F	Nasal Swab	20.04.2023	Negative	6371541619	Jail Road RKL
2	Cov/320488	2137301509173	Sarita Oram	20	F	Nasal Swab	20.04.2023	Negative	8926166152	Orampada Uditnagar RKL
3	Cov/320489	2137301509176	Agashati Baghwar	19	F	Nasal Swab	20.04.2023	Negative	8260360629	Sitalpada Uditnagar RKL
4	Cov/320490	2137301509178	Pramila Ekka	25	F	Nasal Swab	20.04.2023	Negative	9937780722	Sector 5 Rourkela
5	Cov/320491	2137301509179	Kamal Kishore Ram	43	M	Nasal Swab	20.04.2023	Negative	9861369002	Sector 18 Rourkela
6	Cov/320492	2137301509181	Arati Majhi	14	F	Nasal Swab	20.04.2023	Negative	8280791805	Tilkanagar Bondamunda
7	Cov/320493	2137301509183	Nisita Nayak	45	F	Nasal Swab	20.04.2023	Negative	9692980090	New Bus Stand RKL
8	Cov/320494	2137301509185	Anil Kumar Patra	24	M	Nasal Swab	20.04.2023	Negative	7537845712	Tangarpalli Fertilizer
9	Cov/320495	2137301509187	Pemple Kui	58	F	Nasal Swab	20.04.2023	Negative	9771232386	Sonua Jharkhand
10	Cov/320496	2137301509192	Bibekananda Badaik	20	M	Nasal Swab	20.04.2023	Negative	7854814033	Chhend Colony RKL
11	Cov/320497	2137301509194	Mariam Bahala	60	F	Nasal Swab	20.04.2023	Negative	8018419598	Jamunadhipa Kuarmunda
12	Cov/320498	2137301509197	Sekh Abdul Wahab	9	M	Nasal Swab	20.04.2023	Negative	7735868889	Sector 15 Rourkela
13	Cov/320499	2137301509200	Sunita Devi	38	F	Nasal Swab	20.04.2023	Negative	8117855798	New Bus Stand RKL
14	Cov/320500	2137301509294	Rajmati Mandal	63	F	Nasal Swab	20.04.2023	Negative	9315224358	Liploi Rajgangpur
15	Cov/320501	2137301509297	Kaushalya Verma	50	F	Nasal Swab	20.04.2023	Negative	6372035391	Railway Colony RKL
16	Cov/320502	2137301509314	Kuni Das	45	F	Nasal Swab	20.04.2023	Negative	7064127390	Sector B Bondamunda
17	Cov/320503	2137301509300	Sweta Chourasia	15	F	Nasal Swab	20.04.2023	Negative	7847993275	G B Palli Rourkela
18	Cov/320504	2137301509302	Sabitri Bag	25	F	Nasal Swab	20.04.2023	Negative	8658069215	Sector D Bondamunda
19	Cov/320505	2137301509305	Satyam Behera	6	M	Nasal Swab	20.04.2023	Negative	6370285217	Gurusang Debgarh
20	Cov/320506	2137301509307	Shankar Giri	50	M	Nasal Swab	20.04.2023	Negative	7205736343	Malgodam Rourkela
21	Cov/320507	2137301509308	Nikhel Topno	60	M	Nasal Swab	20.04.2023	Negative	7008140043	Jhirpani Rourkela

22	Cov/320508	2137301509309	Rajesh Gochhayat	40	M	Nasal Swab	20.04.2023	Negative	9777208722	Sector 5 Rourkela
23	Cov/320509	2137301509311	Amarjeet Pradhan	18	M	Nasal Swab	20.04.2023	Negative	7295916285	Jhupudipada Rajgangpur
24	Cov/320510	2137301509312	Nirasa Kumari	29	F	Nasal Swab	20.04.2023	Negative	9905277185	Sarda Jharkhand

Prepared by:

Checked and Approved by:



Hemanti Sabar



Dr. Ashit Bhusan Xess

डा. अशीत भुषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*