



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report


Date and time of reporting	20.04.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela, CHC, KUARMUNDA
SPECIMEN DETAILS	
Date & Time of sample collection	19.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	20.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/320532	2137301508949	Rabindra Ku Sen	62	M	Nasal Swab	20.04.2023	Negative	9348992201	Sishumandir KMD
2	Cov/320533	2137301508957	Kalo Kishan	50	F	Nasal Swab	20.04.2023	Negative	7938707485	Chutiatala KMD
3	Cov/320534	2137301508959	Raghunath Ekka	24	M	Nasal Swab	20.04.2023	Negative	8480526387	Lodosera KMD
4	Cov/320535	2137301508966	Subhadra Banchar	27	F	Nasal Swab	20.04.2023	Negative	8249466736	Jamunanaki KMD
5	Cov/320536	2137301508971	Basudeba Kindo	65	M	Nasal Swab	20.04.2023	Negative	8093397076	Lanjiberna KMD
6	Cov/320537	2137301508974	Dharani Dhara Dehuri	32	M	Nasal Swab	20.04.2023	Negative	6370965851	Jharbeda KMD
7	Cov/320538	2137301508978	Sanju Kumari	46	F	Nasal Swab	20.04.2023	Negative	7846813414	Kuarmunda KMD
8	Cov/320539	2137301508981	Mahesh Kishan	22	M	Nasal Swab	20.04.2023	Negative	8249776159	Padampur KMD
9	Cov/320540	2137301508997	Sulendra Magheya	48	M	Nasal Swab	20.04.2023	Negative	7682959014	Teliposh KMD
10	Cov/320541	2137301509007	Susama Bag	60	F	Nasal Swab	20.04.2023	Negative	9337102260	Kuarmunda KMD
11	Cov/320542	2137301509009	Soita Salima	50	F	Nasal Swab	20.04.2023	Negative	7846813414	Vatipada KMD
12	Cov/320543	2137301509013	Narasingha Salima	54	M	Nasal Swab	20.04.2023	Negative	7846813414	Vatipada KMD
13	Cov/320544	2137301509015	Ranjan Sanamagha	24	M	Nasal Swab	20.04.2023	Negative	7682959014	Podmara Teliposh
14	Cov/320545	2137301509017	Herman Barla	48	M	Nasal Swab	20.04.2023	Negative	9439993327	Dumkishiria KMD
15	Cov/320546	2137301509019	Minki Kishan	45	F	Nasal Swab	20.04.2023	Negative	9938052864	JagdishpurbKMD
16	Cov/320547	2137301509022	Bhatu Kishan	68	M	Nasal Swab	20.04.2023	Negative	9938052864	Jagdishpur KMD
17	Cov/320548	2137301509026	Madhuri Das	55	F	Nasal Swab	20.04.2023	Negative	7978788343	Sarbeni KMD
18	Cov/320549	2137301509029	Ajay Ku Dad	35	M	Nasal Swab	20.04.2023	Negative	7978788343	Sarbeni KMD
19	Cov/320550	2137301509032	Puspa Soren	65	F	Nasal Swab	20.04.2023	Negative	9439788051	Jamunanaki KMD
20	Cov/320551	2137301509037	Gita Rani Padher	50	F	Nasal Swab	20.04.2023	Negative	9437409381	Kuarmunda KMD
21	Cov/320552	2137301509040	Sakuntala Tanty	60	F	Nasal Swab	20.04.2023	Negative	7846813414	Radhakrishna Mandir KMD

22	Cov/320553	2137301509046	Raju Paswan	40	M	Nasal Swab	20.04.2023	Negative	9938089253	Kaloshihria KMD
23	Cov/320554	2137301509048	Surendra Nath Sahoo	66	M	Nasal Swab	20.04.2023	Negative	8249488257	Padmalaya Coloni KMD
24	Cov/320555	2137301509052	Raj Kumar Badaik	46	M	Nasal Swab	20.04.2023	Negative	9439661036	Baniguni KMD
25	Cov/320556	2137301509098	Gharamani Meher	14	F	Nasal Swab	20.04.2023	Negative	8249639351	Kuarmunda KMD
26	Cov/320557	2137301508937	Suyata Tanti	35	F	Nasal Swab	20.04.2023	Negative	7938707485	Kuarmunda KMD
27	Cov/320558	2137301508941	Sangram Nanda	24	M	Nasal Swab	20.04.2023	Negative	8114971710	Khukhundubahal KMD

Prepared by:

Checked and Approved by:



Hemanti Sabar



Dr. Ashit Bhusan Xess

डा. अशित भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR