



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

|  |                                   |
|--|-----------------------------------|
| Date and time of reporting                           | 20.07.2022; 05:00 P.M.            |
| Address of the referring facility/Hospital           | Rourkela Govt. Hospital, Rourkela |
| <b>SPECIMEN DETAILS</b>                              |                                   |
| Date & Time of sample collection                     | 19.07.2022; 09:00 A.M.            |
| Date & Time of receipt of specimen                   | 20.07.2022; 09:30 A.M.            |
| Condition of specimens received / Quality on arrival | Acceptable                        |
| <b>REPORTING DETAILS</b>                             |                                   |

| Sr. No. | Sample ID  | SRF ID        | Patient Name          | Age | Sex | Specimen type | Date of sample testing | Result 2019-nCoV | Mobile No. | Address                        |
|---------|------------|---------------|-----------------------|-----|-----|---------------|------------------------|------------------|------------|--------------------------------|
| 01      | Cov/283292 | 2137301330788 | Jaspal Sachdev        | 63  | M   | Nasal Swab    | 20.07.2022             | Negative         | 9437040488 | AA-14,Civil Township, Rourkela |
| 02      | Cov/283293 | 2137301330798 | Renu Kumari Sachdev   | 62  | F   | Nasal Swab    | 20.07.2022             | Negative         | 9437040488 | AA-14,Civil Township, Rourkela |
| 03      | Cov/283294 | 2137301330830 | Soumya Ranjan Nayak   | 32  | M   | Nasal Swab    | 20.07.2022             | Negative         | 7008693083 | C-54,Sector-4, Rourkela        |
| 04      | Cov/283295 | 2137301330839 | Deepjyoti Kalita      | 28  | M   | Nasal Swab    | 20.07.2022             | Negative         | 7002740672 | NIT, Rourkela                  |
| 05      | Cov/283296 | 2137301330812 | Sabiha Akhtar         | 44  | F   | Nasal Swab    | 20.07.2022             | Negative         | 9861844753 | Old Station Road, Rourkela     |
| 06      | Cov/283297 | 2137301330816 | Mohamed Tarique Kalam | 48  | M   | Nasal Swab    | 20.07.2022             | Negative         | 9861844753 | Old Station Road, Rourkela     |
| 07      | Cov/283298 | 2137301330818 | Mohammed Shahir       | 13  | M   | Nasal Swab    | 20.07.2022             | Negative         | 9861844753 | Old Station Road, Rourkela     |
| 08      | Cov/283299 | 2137301330821 | Sarthak Kumar Behera  | 22  | M   | Nasal Swab    | 20.07.2022             | Negative         | 8457972707 | A-169 Sector-9, Rourkela       |
| 09      | Cov/283300 | 2137301330824 | Santosh Behera        | 42  | M   | Nasal Swab    | 20.07.2022             | Negative         | 8114793317 | Uditnagar, Rourkela            |

Prepared by:

*K. Ch. Majhi*

Krishna Ch. Majhi

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrat (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Checked and Approved by:

*Dr. Ashit Bhusan Xess*

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela