



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

| | |
|--|--|
| Date and time of reporting | 20.08.2022; 06:00 P.M. |
| Address of the referring facility/Hospital | Rourkela Government Hospital, Rourkela |
| SPECIMEN DETAILS | |
| Date & Time of sample collection | 19.08.2022; 09:00 A.M. |
| Date & Time of receipt of specimen | 20.08.2022; 08:30 A.M. |
| Condition of specimens received / Quality on arrival | Acceptable |
| REPORTING DETAILS | |

| Sr. No. | Sample ID | SRF ID | Patient Name | Age | Sex | Specimen type | Date of sample testing | Result 2019-nCoV | Mobile No. | Address |
|---------|------------|---------------|-----------------------|-----|-----|---------------|------------------------|------------------|------------|--------------------------|
| 01 | Cov/296954 | 2137301388046 | Mohammed Mahafuz | 32 | M | Nasal Swab | 20.08.2022 | Negative | 9776146177 | Bisra Rourkela |
| 02 | Cov/296955 | 2137301388050 | Prerak Patel | 33 | M | Nasal Swab | 20.08.2022 | Negative | 8720850554 | AA-11 Civil Township RKL |
| 03 | Cov/296956 | 2137301388056 | Charmi Jagdish Saha | 29 | M | Nasal Swab | 20.08.2022 | Negative | 8720850554 | AA-11 Civil Township RKL |
| 04 | Cov/296957 | 2137301388067 | Yasmin Furgang Hyde | 17 | F | Nasal Swab | 20.08.2022 | Negative | 7008236763 | Y-08 Civil Township RKL |
| 05 | Cov/296958 | 2137301388076 | Mayank Singh Mahendra | 38 | M | Nasal Swab | 20.08.2022 | Negative | 8895502266 | H-126 Sector 2 RKL |
| 06 | Cov/296959 | 2137301388181 | Jayprakash Agarwal | 59 | M | Nasal Swab | 20.08.2022 | Negative | 9432047514 | S-26 Civil Township RKL |

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) / any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR