



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	20.09.2022; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	19.09.2022; 09:00 A.M.
Date & Time of receipt of specimen	20.09.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/304409	2137301420137	Abhishek Kumar Sinha	37	M	Nasal Swab	20.09.2022	Negative	9938078521	D-20 Sec-1 RKL SNG
02	Cov/304410	2137301420146	Arvind Kumar Modi	39	M	Nasal Swab	20.09.2022	Negative	9937029427	D-04 Civiltownship RKL
03	Cov/304411	2137301420154	Chandresh Gupta	38	M	Nasal Swab	20.09.2022	Negative	7008458842	Basanti Colony RKL
04	Cov/304412	2137301420160	Mohammed Asjad	39	M	Nasal Swab	20.09.2022	Negative	9337453380	Uditnagar RKL SNG
05	Cov/304413	2137301420167	Sahoo Sudhansu Sekhar	44	M	Nasal Swab	20.09.2022	Negative	7008153188	S2M-30 Chhend Colony RKL
06	Cov/304414	2137301420172	Ayaskanta Mohanty	45	M	Nasal Swab	20.09.2022	Negative	9937390479	HD-06 Chhend Colony RKL
07	Cov/304415	2137301420179	Akshaya Kumar Behera	66	M	Nasal Swab	20.09.2022	Negative	8249103371	A-186 Koelnagar RKL
08	Cov/304416	2137301420185	Sanjukta Behera	60	F	Nasal Swab	20.09.2022	Negative	8249103371	A-186 Koelnagar RKL
09	Cov/304417	2137301420188	Bhakta Charan Bhukta	51	M	Nasal Swab	20.09.2022	Negative	9040969869	A-312 Sec-7 RKL
10	Cov/304418	2137301420193	Raj Kishore Sahoo	41	M	Nasal Swab	20.09.2022	Negative	9338667457	MIG-11-343 Chhend RKL
11	Cov/304419	2137301420195	Satyapada Sharma	50	M	Nasal Swab	20.09.2022	Negative	9437082842	HIG-D 05 Chhend Colony RKL
12	Cov/304420	2137301420196	Akshay Kumar Nayak	46	M	Nasal Swab	20.09.2022	Negative	7978466392	S2M-154 Chhend Colony RKL
13	Cov/304421	2137301420197	Samresh Nayak	63	M	Nasal Swab	20.09.2022	Negative	9078856291	JE-52 Jagda RKL

Prepared by:

*Krishna*

Krishna Ch. Majhi

Checked and Approved by:

*Dr. Ashit Bhusan Xess*

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

*Interpretation guidance:-*

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*