



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	20.10.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	19.10.2021; 09:00 A.M.
Date & Time of receipt of specimen	20.10.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/164249	2137300839980	Ankesh Tirkey	18	M	Nasal Swab	20.10.2021	Negative	9178155530	Kadobahal Sundargarh
02	Cov/164486	2137300838617	Mira Minz	14	F	Nasal Swab	20.10.2021	Negative	7848968229	Jharberna Kesramal
03	Cov/164487	2137300838631	Sachin Mundu	15	M	Nasal Swab	20.10.2021	Negative	7605928333	Laing Kansbahal
04	Cov/164488	2137300838544	Prakash Tirkey	19	M	Nasal Swab	20.10.2021	Negative	7682810036	Raiberna Laing
05	Cov/164489	2137300838648	Nilima Ekka	15	F	Nasal Swab	20.10.2021	Negative	7849017526	Dudukabahal Rajgangpur
06	Cov/164525	2137300837079	Afreen Fatima	19	F	Nasal Swab	20.10.2021	Negative	7008783740	Wardno 2 Rajgangpur
07	Cov/164526	2137300837111	Medu Kumar	19	M	Nasal Swab	20.10.2021	Negative	8434577047	Subash Chowk Rajgangpur
08	Cov/164527	2137300837144	Sunilku Singh	34	M	Nasal Swab	20.10.2021	Negative	6370769781	Mission Hota Rajgangpur
09	Cov/164528	2137300837171	Mamita Majhi	14	F	Nasal Swab	20.10.2021	Negative	7847838317	Gitupani Rajgangpur
10	Cov/164529	2137300837366	Wilson Xaxa	16	M	Nasal Swab	20.10.2021	Negative	8018727827	Regalbahal Rajgangpur
11	Cov/164530	2137300837403	Manoj Kumar Swain	17	M	Nasal Swab	20.10.2021	Negative	7984511971	IT Colony Rajgangpur
12	Cov/164531	2137300837446	Diliprajan Xaxa	38	M	Nasal Swab	20.10.2021	Negative	7008452372	Phashakani Rajgangpur
13	Cov/164532	2137300837496	Ansuman Maharana	17	M	Nasal Swab	20.10.2021	Negative	9853281992	Muncpaty Colony Rajgangpur
14	Cov/164533	2137300837529	Alish Toppo	13	F	Nasal Swab	20.10.2021	Negative	7608015888	Kumarkela Rajgangpur
15	Cov/164534	2137300837563	Rasmita Lakra	15	F	Nasal Swab	20.10.2021	Negative	8895840189	Kichinda Rajgangpur
16	Cov/164535	2137300837587	Subani Kerketta	13	F	Nasal Swab	20.10.2021	Negative	9777944191	Garbara Rajgangpur
17	Cov/164536	2137300837628	Celin Barla	13	F	Nasal Swab	20.10.2021	Negative	9777944191	Tileimal Rajgangpur
18	Cov/164537	2137300837656	Roslin Kujur	14	F	Nasal Swab	20.10.2021	Negative	8658086566	Badmal Rajgangpur
19	Cov/164538	2137300837865	Subham Prusty	22	M	Nasal Swab	20.10.2021	Negative	7008817386	MS Colony Rajgangpur
20	Cov/164539	2137300837918	Sandhya Toppo	14	F	Nasal Swab	20.10.2021	Negative	9556500728	Bhaluduma Rajgangpur

21	Cov/164540	2137300838011	Arpita Majhi	17	F	Nasal Swab	20.10.2021	Negative	9937090547	Kutunia Rajgangpur
22	Cov/164541	2137300838044	Stuti Xalxa	13	F	Nasal Swab	20.10.2021	Negative	8117876126	Rengalbahal
23	Cov/164542	2137300838083	Nabneel Kaur	20	F	Nasal Swab	20.10.2021	Negative	6370829948	OCL Colony
24	Cov/164543	2137300838105	Haripriya Lakra	16	F	Nasal Swab	20.10.2021	Negative	9776471313	Raikakachhar Rajgangpur
25	Cov/164544	2137300838135	Lalit Majhi	21	M	Nasal Swab	20.10.2021	Negative	9078894644	Lamloi Rajgangpur
26	Cov/164545	2137300838165	Florina Lakra	13	F	Sample Not Received			8658494031	Tileimal Rajgangpur
27	Cov/164546	2137300838195	Florina Lakra	13	F	Nasal Swab	20.10.2021	Negative	7847867568	Tileimal Rajgangpur
28	Cov/164547	2137300838258	Sabyasachi Minz	18	M	Nasal Swab	20.10.2021	Negative	7855928198	Keshra Mal, Rajgangpur
29	Cov/164548	2137300838292	Bisu Baruwa	50	M	Nasal Swab	20.10.2021	Negative	8117937789	Bhagatpada, Rajgangpur
30	Cov/164549	2137300838336	Anushka Barla	12	F	Nasal Swab	20.10.2021	Negative	9439016498	Tileimunda, Rajgangpur
31	Cov/164550	2137300838369	Subham Kumar Agrawal	17	M	Nasal Swab	20.10.2021	Negative	9437045880	SBM Colony, Rajgangpur
32	Cov/164551	2137300838398	Ganesh Badhei	42	M	Nasal Swab	20.10.2021	Negative	6370990895	Liploi, Rajgangpur
33	Cov/164552	2137300838457	Swetanisha Minz	14	F	Nasal Swab	20.10.2021	Negative	8637253960	Garvana, Rajgangpur
34	Cov/164553	2137300838494	Kolostika Barla	15	F	Nasal Swab	20.10.2021	Negative	7064138404	Tilei Munda, Rajgangpur
35	Cov/164554	2137300838567	Sanju Ekka	14	F	Nasal Swab	20.10.2021	Negative	9668339450	Chandrapada, Rajgangpur
36	Cov/164555	2137300838607	Bismita Lakra	13	F	Nasal Swab	20.10.2021	Negative	8260951383	Kashramal, Rajgangpur
37	Cov/164556	2137300838637	Prema Lakra	14	F	Nasal Swab	20.10.2021	Negative	7735596189	Keshramal, Rajgangpur
38	Cov/164557	2137300838662	Archana Devi	40	F	Nasal Swab	20.10.2021	Negative	9178146576	Rambagan , Rajgangpur
39	Cov/164558	2137300838686	Brundabana Maharana	43	M	Nasal Swab	20.10.2021	Negative	7853889422	OCL Colony, Rajgangpur
40	Cov/164559	2137300838693	Gangu Kujur	60	M	Nasal Swab	20.10.2021	Negative	7894018275	Mundlasa, Rajgangpur
41	Cov/164560	2137300838712	Arpita Majhi	13	F	Nasal Swab	20.10.2021	Negative	6372320528	Rengalbeda, Rajgangpur

Prepared by:

Krishna

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Dr. Ashit Bhusan Xess

डॉ. अशित भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR