



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

| | |
|--|--|
| Date and time of reporting | 20.10.2022; 03:30 P.M. |
| Address of the referring facility/Hospital | Rourkela Government Hospital, Rourkela |
| SPECIMEN DETAILS | |
| Date & Time of sample collection | 19.10.2022; 09:00 A.M. |
| Date & Time of receipt of specimen | 20.10.2022; 08:30 A.M. |
| Condition of specimens received / Quality on arrival | Acceptable |
| REPORTING DETAILS | |

| Sr. No. | Sample ID | SRF ID | Patient Name | Age | Sex | Specimen type | Date of sample testing | Result 2019-nCoV | Mobile No. | Address |
|---------|------------|---------------|-----------------------|-----|-----|---------------|------------------------|------------------|------------|---------------------------|
| 01 | Cov/310436 | 2137301443846 | Sailanendra Kumar Das | 6 | M | Nasal Swab | 20.10.2022 | Negative | 9437435550 | HIGB/140 Chhend, RKL |
| 02 | Cov/310437 | 2137301443848 | Sushanti Das | 62 | M | Nasal Swab | 20.10.2022 | Negative | 9437435550 | HIGB/140 Chhend, RKL |
| 03 | Cov/310438 | 2137301443850 | Balaram Mishra | 29 | M | Nasal Swab | 20.10.2022 | Negative | 8908808849 | NIT, Rourkela |
| 04 | Cov/310439 | 2137301443853 | Priya Agrawal | 28 | F | Nasal Swab | 20.10.2022 | Negative | 8117825811 | Main Road Uditnagar, RKL |
| 05 | Cov/310440 | 2137301443855 | Krishna Agarwal | 28 | M | Nasal Swab | 20.10.2022 | Negative | 9776889988 | Main Road Uditnagar, RKL |
| 06 | Cov/310441 | 2137301443859 | Krishnendu Saha | 40 | M | Nasal Swab | 20.10.2022 | Negative | 9492324427 | S2M-189 Chhend, RKL |
| 07 | Cov/310443 | 2137301443878 | Sudipta Pradhan | 45 | M | Nasal Swab | 20.10.2022 | Negative | 7077385606 | HD-27 Phase-2 Chhend, RKL |
| 08 | Cov/310444 | 2137301443887 | Augustin Xess | 63 | M | Nasal Swab | 20.10.2022 | Negative | 9178238538 | JF-1 Jagda, RKL |

Prepared by:

Checked and Approved by:



Krishna Ch. Majhi


Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela