



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	21.01.2022; 05:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	10.01.2022; 09:00 A.M.
Date & Time of receipt of specimen	11.01.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/224972	2137301056353	Chunila Yadav	41	M	Nasal Swab	21.01.2022	Negative	6370881942	Rourkela Rourkela
02	Cov/226496	2137301058022	Bimala Mohanta	42	F	Nasal Swab	21.01.2022	Negative	8658660366	Chhend Sos Village RKL
03	Cov/226498	2137301058035	Manoj Pradhan	28	M	Nasal Swab	21.01.2022	Negative	8249658525	Jg 276 JaGDA Rourkela
04	Cov/226499	2137301058043	Aditya Ku Behera	41	M	Nasal Swab	21.01.2022	Negative	7752000328	Sectpr 20 Pump House RKL
05	Cov/226500	2137301058048	Siddharth Mohapatra	21	M	Nasal Swab	21.01.2022	Negative	9437082751	B 54 Sector 3 RKL
06	Cov/226501	2137301058053	Prabhat Ku Nayak	52	M	Nasal Swab	21.01.2022	Negative	9776263373	Kalinga Vihar Rourkela
07	Cov/226502	2137301058058	Mrinal Chowdhury	25	M	Nasal Swab	21.01.2022	Negative	8249929622	Fertilizer Rourkela
08	Cov/226503	2137301058063	Sagar Badaik	31	M	Nasal Swab	21.01.2022	Negative	9132233122	Fertilizer RKL
09	Cov/226505	2137301058081	Nellor Sneha	26	F	Nasal Swab	21.01.2022	Negative	8328806913	Hig B 6 P 3 Chhend RKL

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*

- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR